



Fig.1.CYLINDER BLOCK



Remarks
(1)For adjustment

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	719183-01560	BLOCK ASSY, CYLINDER	1	1						
4	3	171051-01921	PLUG, NPT F1	1	1						
5	3	119000-02410	BUSH, CAMSHAFT	1	1						
6	3	23876-030000	PLUG PT3/8, SCREW	1	1						
7	3	27231-600000	PLUG, 60	1	1						
8	3	27241-140000	PLUG 14	3	3						
9	3	27241-400000	PLUG 40	5	5						
10	3	119000-01880	SCREW	1	1						
11	2	119142-01150	LINER, CYLINDER	4	4						
12	2	119000-01840	PLUG, RUBBER	3	3						
13	2	135602-34390	RETAINER	1	1						
14	2	129100-01580	PIN, PARALLEL	2	2						
15	2	129100-01580	PIN, PARALLEL	2	2						
16	2	129100-01580	PIN, PARALLEL	2	2						
17	2	22351-080016	SPRING PIN 8X16	2	2						
18	2	23414-140000	GASKET 14, ROUND	1	1						
19	2	119000-02020	BOLT, METAL CAP	10	10						
20	2	719000-02800	METAL, MAIN	5	5						
23	2	119000-02930	WASHER, THRUST	2	2						
28	2	22351-040008	SPRING PIN 4X8	4	4						
29	2	135400-01790	PLUG	1	1						
30	2	23414-100000	GASKET 10, ROUND	1	1						
31	1	119174-01200	BOLT, CYLINDER HEAD	18	18						
32	1	119174-01340	GASKET, CYL HEAD T1.30	1	1						
33	1	119174-01330	GASKET, CYL HEAD T1.2	1	1						1
34	1	119174-01350	GASKET, CYL HEAD T1.4	1	1						1
35	1	121550-49111	JOINT PT 1/4	1	1						
36	1	119173-49160	PIPE	1	1						
37	1	119181-01990	RETAINER	1	1						
38	1	119000-25050	SHAFT, IDLE GEAR	1	1						
39	1	119000-25100	GEAR ASSY, IDLE Z=51	1	1						
41	2	119000-25060	BUSH, IDLE GEAR	1	1						
42	1	119174-25060	BOLT M8X45, COLLAR	2	2						
43	1	119173-49170	BRACKET	1	1						
44	1	124460-77680	RETAINER	1	1						
45	1	23000-016000	CLAMP 16	2	2						
46	1	23061-070300	PIPE 7X300	1	1						
47	1	26106-080122	BOLT M8X12 PLATED	1	1						
48	1	26106-080352	BOLT M8X35 PLATED	1	1						
49	1	26106-080402	BOLT M8X40 PLATED	1	1						
50	1	129670-49290	COCK ASSY	1	1						
51	1	106100-55800	WASHER	1	1						
52	1	119174-39560	NOZZLE CMP PSTN COOL	4	4						
55	1	23857-030000	JOINT BOLT 3	4	4						


Fig.2.GEAR HOUSING



(A)=4LH-WST
(B)=4LH-WSTZAY
(C)=

(D)=
(E)=
(F)=


REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	119000-01500	HOUSING, GEAR	1	1						
2	1	119000-01520	COVER, GEAR CASE	1	1						
3	1	121023-01551	COVER, TACHOMETER	1	1						
4	1	119000-01740	COVER, PUMP	1	1						
5	1	119000-01771	GASKET, FLANGE	1	1						
6	1	121850-01800	SEAL, OIL	1	1						
7	1	121850-01920	STUD, 2D 8X22	2	2						
8	1	129100-01580	PIN, PARALLEL	2	2						
9	1	24341-000240	O-RING 1A S-24.0	1	1						
10	1	26106-060182	BOLT M 6X 18 PLATED	2	2						
11	1	26106-080202	BOLT M 8X 20 PLATED	5	5						
12	1	26106-080252	BOLT M 8X 25 PLATED	1	1						
13	1	26106-080202	BOLT M 8X 20 PLATED	2	2						
14	1	26106-080402	BOLT M 8X 40 PLATED	1	1						
15	1	26106-080452	BOLT M 8X 45 PLATED	5	5						
16	1	26106-080552	BOLT M 8X 55 PLATED	3	3						
17	1	26106-080552	BOLT M 8X 55 PLATED	1	1						
18	1	26106-080752	BOLT M 8X 75 PLATED	4	4						
19	1	26106-080952	BOLT M 8X 95 PLATED	2	2						
20	1	22190-080003	WASHER, 8	1	1						
21	1	119000-32001	PUMP ASSY, LUB.OIL	1	1						
38	1	119000-32020	GASKET, LO.PUMP	1	1						
39	1	26106-080162	BOLT M 8X 16 PLATED	1	1						
40	1	26106-080502	BOLT M 8X 50 PLATED	1	1						
41	1	119174-32000	LUB. OIL PUMP	1	1						
42	1	24341-000800	O-RING 1A S-80.0	1	1						
43	1	26106-080252	BOLT M 8X 25 PLATED	1	1						
44	1	26106-080452	BOLT M 8X 45 PLATED	1	1						
45	1	26106-080552	BOLT M 8X 55 PLATED	1	1						
46	1	26106-080702	BOLT M 8X 70 PLATED	1	1						



(D)=
(E)=
(F)=

N:Old $\xrightleftharpoons[\text{No}]{\text{Yes}}$ New, Q:Old $\xrightleftharpoons[\text{Yes}]{\text{No}}$ New, R:Old $\xrightleftharpoons[\text{Yes}]{\text{No}}$ New, S:Old $\xrightleftharpoons[\text{No}]{\text{No}}$ New, W:Add, Z:Discontinued, F:Interchangeable by set, K:Q'ty Change
(C)Copy Rights YANMAR CO.,LTD.

Fig.4.FRONT BRACKET




4.FRONT BRACKET

(A)=4LH-WST
(B)=4LH-WSTZAY
(C)=

(D)=
(E)=
(F)=


REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	119192-01851	MOUNTING	1	1						
2	1	119192-01860	BRACKET(L)	1	1						
3	1	119192-01870	BRACKET(R)	1	1						
4	1	22312-080180	PARALLEL PIN, M8X16	2	2						
5	1	26106-080902	BOLT M 8X 90 PLATED	1	1						
6	1	26106-100452	BOLT M10X 45 PLATED	14	14						
7	1	26116-081252	BOLT M 8X125 PLATED	1	1						

Fig.5.BREATHER



5.BREATHER


REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	119175-03021	COVER,BREAZER	1							
2	2	119174-01932	COVER	1							
3	2	119173-03030	COVER	1							
4	2	121850-03050	NET	1							
5	2	124411-03051	GASKET, COVER	1							
6	2	121750-03080	PLATE, BAFFLE	1							
7	2	26106-060452	BOLT M 6X 45 PLATED	1							
8	2	26106-060182	BOLT M 6X 18 PLATED	1							
9	2	119174-03192	PLATE	1							
10	2	129122-44480	JOINT	1							
11	2	26557-040062	SCREW, M4X6	9							
12	1	119195-03021	COVER CMP, BREAZER		1						
13	2	119174-01932	COVER		1						
14	2	119194-03030	COVER,BREATHIER		1						
15	2	121850-03050	NET		1						
16	2	124411-03051	GASKET, COVER		1						
17	2	121750-03080	PLATE, BAFFLE		1						
18	2	119174-03192	PLATE		1						
19	2	129466-49110	JOINT, PT1/4		1						
20	2	26106-060182	BOLT M 6X 18 PLATED		2						
21	2	26557-040062	SCREW, M4X6		9						
22	1	121750-59890	CLAMP 140	2	2						
23	1	119195-39700	PIPE	1	1						
24	1	129466-49110	JOINT, PT1/4	1	1						
25	1	23000-022000	CLAMP 22	2	2						
26	1	119173-03110	PIPE	1	1						
27	1	23000-035000	CLAMP 35	1	1						



6.LABEL

N:Old $\xleftrightarrow[\text{No}]{\text{Yes}}$ New, Q:Old $\xleftrightarrow[\text{Yes}]{\text{No}}$ New, R:Old $\xleftrightarrow[\text{Yes}]{\text{No}}$ New, S:Old $\xleftrightarrow[\text{No}]{\text{Yes}}$ New, W:Add, Z:Discontinued, F:Interchangeable by set, K:Q'ty Change
(C)Copy Rights YANMAR CO.,LTD.

Fig.7.ENGINE BRACKET



Remarks
(1)Optional parts.


7.ENGINE BRACKET

(A)=4LH-WST
(B)=4LH-WSTZAY
(C)=

(D)=
(E)=
(F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	119192-01070	BRACKET, ENGINE	2							
2	1	124411-01080	BRACKET, ENGINE	2							
3	1	22312-080140	PARALLEL PIN, M8X14	4							
4	1	26106-100352	BOLT M10X 35 PLATED	8							
5	1	26106-100352	BOLT M10X 35 PLATED	4							
6	1	26106-100702	BOLT M10X 70 PLATED	4							
7	1	42215-002440	SHIM	1							
11	1	45521-556100	FOUNDATOIN BOLT(M16	4							
12	2	122310-92900	BOLT, FOUNDATION	4							
13	2	22137-160000	WASHER 16POLISHED	4							
14	2	22217-160000	SPRING WASHER 16	4							
15	2	26716-160002	NUT M16	4							
16	2	45511-552030	NUT	4							
19	1	119171-08100	BRACKET, ENGINE	2							
20	1	119194-08200	FOOT (REAR)MOUNTING	2							
21	1	22312-080140	PARALLEL PIN, M8X14	4							
22	1	26106-100302	BOLT M10X 30 PLATED	16							
23	1	119189-08910	SPACER	6							
24	1	26156-160602	BOLT M16X 60 PLATED	4							
25	1	119182-08190	SPACER	4							
26	1	119182-08200	SPACER	4							
27	1	119192-08120	ENGINE BED	2							
28	1	119187-08901	BRACKET	4							
29	1	26736-160002	NUT M16	4							
30	1	26776-160002	LOCK NUT M16 PLATED	4							
31	1	119171-08100	BRACKET, ENGINE		2						
32	1	119187-08150	BRACKET, ENGINE		1						
33	1	119187-08160	BRACKET, ENGINE		1						
34	1	119187-08170	PLATE		2						
35	1	22312-080140	PARALLEL PIN, M8X14		4						
36	1	26106-100252	BOLT M10X 25 PLATED		6						
37	1	26106-100302	BOLT M10X 30 PLATED		8						
38	1	26106-100302	BOLT M10X 30 PLATED		10						
39	1	119182-08190	SPACER		4						
40	1	119182-08200	SPACER		4						
41	1	119189-08210	SHIM ASSY		1						
45	1	22117-160000	WASHER 16		4						
46	1	26156-160552	BOLT M16X 55 PLATED		4						
47	1	119187-08901	BRACKET		4						
48	1	119189-08910	SPACER		4						
49	1	26736-160002	NUT M16		4						
50	1	26776-160002	LOCK NUT M16 PLATED		4						1
51	1	119192-08440	MOUNT RUBBER		4						


Fig.8.CYLINDER HEAD & BONNET



8.CYLINDER HEAD & BONNET

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	719195-11700	HEAD ASSY, CYLINDER	1	1						
5	3	119173-11080	INSERT, INTAKE	4	4						
6	3	119173-11091	SEAT, VALVE	4	4						
7	3	121850-11160	GUIDE, VALVE	4	4						
8	3	119000-11170	GUIDE, VALVE (EXH.)	4	4						
9	3	23876-005000	PLUG, PT1/16	1	1						
10	3	23876-030000	PLUG PT3/8, SCREW	1	1						
11	3	119000-11990	PLUG, 16	4	4						
12	3	119100-11990	PLUG, 28	3	3						
13	3	119885-01990	PLUG 40	2	2						
14	2	119173-11101	VALVE, SUCTION	4	4						
15	2	119593-11110	VALVE, EXHAUST	4	4						
16	2	124617-11120	SPRING, VALVE OUTER	8	8						
17	2	124617-11130	SPRING, VALVE INNER	8	8						
18	2	121850-11150	SEAL, VALVE STEM	4	4						
19	2	124411-11180	RETAINER, SPRING	8	8						
20	2	27310-090001	COTTER, 9	8	8						
21	2	119171-11370	CAP, VALVE	8	8						
22	2	119175-11910	BOLT	8	8						
23	2	26216-080652	STUD M8X65 PLATED	2	2						
24	2	26216-081402	STUD M8X140	2	2						
25	2	26366-060002	NUT M6	8	8						
26	2	26306-080002	NUT, M8	2	2						
27	2	26306-080002	NUT, M8	2	2						
28	2	119171-11150	SEAL, VALVE STEM	4	4						
29	1	119173-11240	SHAFT ASSY, ARM	1	1						
31	2	719000-11651	ARM ASSY, ROCKER	8	8						
33	3	119000-11230	SCREW, VALVE ADJUST	8	8						
34	3	129150-11750	NUT, M8	8	8						
36	2	119000-11260	SUPPORT, ARM A	1	1						
37	2	119000-11270	SUPPORT, ARM A	3	3						
38	2	119000-11280	SPRING	3	3						
39	2	119000-11290	BOLT, SETTING	1	1						
40	2	22242-000180	CIRCLIP 18	2	2						
41	2	27241-100000	PLUG, 10	2	2						
42	2	119173-11350	SPACER	8	8						
43	1	119593-11870	SEAT	4	4						
44	1	119593-11880	SEAT	4	4						
45	1	119625-11900	RETAINER, NOZZLE	4	4						
46	1	26106-080652	BOLT M8X65 PLATED	6	6						
47	1	119000-07200	LIFTER, ENGINE	1	1						
48	1	26106-100202	BOLT M10X20 PLATED	2	2						
49	1	124160-01751	COVER, FILLER	1	1						
50	1	119173-11300	BONNET ASSY-HEAD	1	1						
53	2	119100-11320	GASKET, BONNET	1	1						
54	1	24311-000320	O-RING 1A P-32.0	1	1						
55	1	26106-080252	BOLT M8X25 PLATED	10	10						
56	1	119172-77160	SUPPORT B	1	1						
57	1	26106-100252	BOLT M10X25 PLATED	2	2						

Fig.9.SUCTION MANIFOLD & AIR COOLER




9.SUCTION MANIFOLD & AIR COOLER

(A)=4LH-WST
(B)=4LH-WSTZAY
(C)=

(D)=
(E)=
(F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	119100-12100	MANIFOLD, AIR INTAKE	1	1						
2	1	119100-12113	GASKET, MANIFOLD	1	1						
3	1	26106-080202	BOLT M 8X 20 PLATED	5	5						
4	1	26106-080702	BOLT M 8X 70 PLATED	3	3						
5	1	26106-081152	BOLT M 8X115 PLATED	1	1						
6	1	719174-18200	INTERCOOLER ASSY	1	1						
7	2	119174-18102	INTERCOOLER ASSY.	1	1						
11	3	119174-18240	GASKET	1	1						
12	3	119174-18250	GASKET	1	1						
13	3	119174-18260	GASKET	1	1						
14	3	119174-18270	O-RING P58(4D)	1	1						
15	2	119593-18370	PLUG	2	2						
16	2	123210-09310	PACKING	2	2						
17	2	177301-54900	ZINC, ANTI-CORROSIVE	2	2						
18	2	23414-240000	GASKET 24,RD.	2	2						
19	2	119620-49290	COCK ASSY	1	1						
23	1	26106-080302	BOLT M 8X 30 PLATED	1	1						
24	1	26106-100202	BOLT M10X 20 PLATED	2	2						
25	1	26216-080162	STUD BOLT M8X16	4	4						
26	1	26306-080002	NUT, M8	4	4						
27	1	119173-18501	BRACKET	1	1						
28	1	119187-18550	SUPPORT	1	1						
29	1	119189-18571	SUPPORT B,INTRCOOLER	1	1						
30	1	121850-77021	GASKET, HEATER	1	1						
31	1	26106-080162	BOLT M 8X 16 PLATED	4	4						
32	1	26106-080162	BOLT M 8X 16 PLATED	3	3						
33	1	26106-080202	BOLT M 8X 20 PLATED	2	2						
34	1	26106-080202	BOLT M 8X 20 PLATED	1	1						
35	1	26106-080202	BOLT M 8X 20 PLATED	2	2						

Fig.10.TURBOCHARGER & MIXING ELBOW



Remarks
(1)Optional parts for 4LH-WSTZAY.
(2)Optional parts for 4LH-WST.


10.TURBOCHARGER & MIXING ELBOW

(A)=4LH-WST
(B)=4LH-WSTZAY
(C)=

(D)=
(E)=
(F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	119171-13510	GASKET	2	2					1	
2	1	119192-18341	BEND, EX-HAUST	1	1					1	
3	1	119194-18352	SUPPORT, EX-H. BEND	1	1					1	
4	1	119192-18360	SPACER	1	1					1	
5	1	26106-080162	BOLT M 8X 16 PLATED	2	2					1	
6	1	26106-080202	BOLT M 8X 20 PLATED	4	4					1	
7	1	26216-080352	STUD M 8X 35 PLATED	3	3					1	
8	1	26306-080002	NUT, M8	3	3					1	
9	1	119194-13501	ELBOW, MIXING	1	1					1	
11	2	119194-13520	WOOL MAT	1	1					1	
12	2	23878-040000	PLUG	2	2					1	
13	1	119194-49011	PIPE, I/C OUT	1	1					1	
14	1	23000-048000	CLAMP 48	2	2					1	
15	1	23440-080000	GASKET, 80	1	1					1	
16	1	26113-160452	BOLT M16X 45	4	4					1	
17	1	26713-160002	NUT M16	4	4					1	
18	1	119174-13501	ELBOW, U/MIXING	1	1					2	
19	1	119171-13510	GASKET	1	1					2	
20	1	119174-13553	SUPPORT(U-ELBOW	1	1					2	
21	1	119171-49010	PIPE COOLING WATER	1	1					2	
22	1	23000-048000	CLAMP 48	2	2					2	
23	1	26106-080162	BOLT M 8X 16 PLATED	2	2					2	
24	1	26106-080202	BOLT M 8X 20 PLATED	4	4					2	
25	1	26216-080202	STUD M 8X 20 PLATED	3	3					2	
26	1	26306-080002	NUT, M8	3	3					2	
27	1	128300-13230	PACKING	1	1						
28	1	119195-18021	TURBO-CHARGER(RHC61	1	1						
29	1	119174-18062	MOUNT, TURBO	1	1						
30	1	119174-18070	GASKET, MOUNT	1	1						
31	1	119195-18860	SIRENCER, TURBO	1	1						
32	2	119195-18880	FILTER	1	1						
33	1	127687-18910	CLAMP	1	1						
34	1	23414-170000	GASKET 17, ROUND	1	1						
35	1	23894-030002	PLUG G3/8-HEX	1	1						
36	1	26203-100302	BOLT M10X 30	2	2						
37	1	26223-100252	STUD M10X 25	2	2						
38	1	26703-100002	NUT M10	4	4						
39	1	26703-100002	NUT M10	2	2						
40	1	123678-13010	PIPE 35, EX-HAUST	1	1						
41	1	123678-13070	CONNECTOR, EX-HAUST	1	1						
42	1	123688-13950	COVER	1	1						
43	1	23440-080000	GASKET, 80	2	2						
44	1	26113-160502	BOLT M16X 50	4	4						
45	1	26113-160602	BOLT M16X 60	4	4						
46	1	26713-160002	NUT M16	4	4						
47	1	26713-160002	NUT M16	4	4						
48	1	43121-030110	BELLOWS	1	1						

Fig.11.TURBOCHARGER COMPONENT PART




11.TURBOCHARGER COMPONENT PART

(A)=4LH-WST
(B)=4LH-WSTZAY
(C)=

(D)=
(E)=
(F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	119195-18021	TURBO-CHARGER(RHC61	1	1						
2	2	XNH261201D	SHAFT,TURBINE	1	1						
3	2	XNH261081	BUSH	1	1						
4	2	XNH261103	OIL THROWER	1	1						
5	2	XNN131008	SEAL RING,BLOW SIDE	1	1						
6	2	XNN171006	SEAL RING	1	1						
7	2	XNN971007	SEAL RING	1	1						
8	2	XNH261107	NUT,SHAFT END	1	1						
9	2	XNH265520	IMPELLER,COMPRESSOR	1	1						
10	2	XNN193012	PLATE, SEAL	1	1						
11	2	XNH263501	METAL,FLOATING	2	2						
12	2	XNH263502	BEARING, THRUST	1	1						
13	2	XNH264962	HOUSING	1	1						
14	2	XNH164106	BRACKET	6	6						
15	2	XNH164105	BOLT M6	6	6						
16	2	XNH167612	HOUSING,TURBINE	1	1						
17	2	XNH163329	INSULATOR, SILENCER	1	1						
18	2	XNN137423	RETAINER	5	5						
19	2	XNN137007	BOLT M8	5	5						
20	2	XNH163376	HOUSING, BEARING	1	1						
21	2	XNN977003	RETAINING RING	3	3						
22	2	XNH163006	SCREW M4	3	3						
23	2	XNB133206	SCREW	4	4						


Fig.12.CAMSHAFT & CRANKSHAFT



12.CAMSHAFT & CRANKSHAFT

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	119195-14000	CAMSHIFT ASSY	1	1						
2	2	119000-02450	BEARING, THRUST	1	1						
4	2	119000-14100	GEAR, CAMSHAFT Z=48	1	1						
5	2	22512-070140	KEY, 7X14	1	1						
6	1	119000-14200	TAPPET	8	8						
7	1	119171-14400	PUSH ROD	8	8						
8	1	26106-080162	BOLT M8X16 PLATED	2	2						
9	1	719189-21700	CRANKSHAFT ASSY	1	1						
13	3	121850-21200	GEAR, CRANKSHAFT	1	1						
14	3	121850-21290	PIN	2	2						
17	2	121850-21920	PARALLEL PIN, M10X22	1	1						
18	2	22512-070140	KEY, 7X14	1	1						
19	1	121850-21130	BOLT, FLYWHEEL	1	1						
20	1	119187-21650	V PULLEY	1	1						
21	1	124610-21660	WASHER, PULLEY	1	1						
22	1	124611-28010	DAMPER	1	1						
23	1	26106-100162	BOLT M10X16 PLATED	6	6						
24	1	121850-21130	BOLT, FLYWHEEL	6	6						
25	1	119187-21590	FLYWHEEL W GEAR	1	1						
28	2	127410-21480	RING GEAR Z=129	1	1						
29	1	119187-01601	HOUSING, FLYWHEEL	1	1						
31	1	119575-01750	CAP	1	1						
32	1	24311-000160	O-RING 1A P-16.0	1	1						
33	1	26106-100302	BOLT M10X30 PLATED	8	8						
34	1	26106-100352	BOLT M10X35 PLATED	5	5						

OCF10-G63300
Fig.13.AIR DUCT




OCF10-G63300 13.AIR DUCT

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	119174-18110	DUCT,INTRCR.OUT.AIR	1	1						
2	1	119174-18120	PACKING, COOLER	1	1						
3	1	119174-18130	HOSE,AIR DUCT RUBBER	1	1						
4	1	119172-18140	AIR DUCT	1	1						
5	1	119174-18160	DUCT,TURBO OUT.AIR	1	1						
6	1	119174-18170	O-RING,INTERC/R.IN.	1	1						
7	1	127488-18910	CLIP	2	2						
8	1	127610-49430	JOINT, RUBBER	1	1						
9	1	121850-77021	GASKET, HEATER	1	1						
10	1	23000-060000	CLAMP 60	2	2						
11	1	26106-060202	BOLT M 6X 20 PLATED	10	10						
12	1	26106-060502	BOLT M 6X 50 PLATED	2	2						
13	1	26106-080202	BOLT M 8X 20 PLATED	2	2						
14	1	26106-080202	BOLT M 8X 20 PLATED	4	4						
15	1	129590-18520	JOINT 10, PIPE	1	1						
16	1	103854-39140	BOLT, PIPE JOINT	1	1						
17	1	124160-39140	BOLT, JOINT M10	1	1						
18	1	104264-59020	JOINT 12, PIPE	1	1						
19	1	119174-18040	PIPE,FUEL	1	1						
20	1	124766-59050	CLAMP 12	2	2						
21	1	23414-100000	GASKET 10, ROUND	2	2						
22	1	23414-120000	GASKET 12, ROUND	2	2						



REF.	LEV.	PARTS NO.	DESCRIPTION	(A)=4LH-WST (B)=4LH-WSTZAY (C)=		(D)= (E)= (F)=				I R
				(A)	(B)	(C)	(D)	(E)	(F)	
1	1	119195-22081	PISTON WRING	4	4					
3	2	719183-22500	RING SET	4	4					
9	1	119173-22300	PIN, PISTON	4	4					
10	1	22252-000370	CIRCLIP 37	8	8					
11	1	719174-23100	ROD ASSY, CONNECTING	4	4					
16	2	121850-23200	BOLT, ROD	8	8					
17	2	719174-23600	CRANK-PIN METAL	4	4					

Fig.15.BALANCER




15.BALANCER

(A)=4LH-WST
(B)=4LH-WSTZAY
(C)=

(D)=
(E)=
(F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	119100-28000	BALNCR ASSY	1	1						
2	2	119100-28050	SAHFT(A)ASY,BALNCER	1	1						
7	3	22512-050140	KEY, 5X14	2	2						
8	2	119100-28060	SAHFT(B)ASY,BALNCER	1	1						
12	3	22512-050140	KEY, 5X14	1	1						
13	2	119100-28150	CASE ASSY,BALANCER	1	1						
17	3	23876-005000	PLUG, PT1/16	2	2						
18	2	26106-080142	BOLT 8X 14 PLATED	4	4						
19	1	121950-28401	PIN	2	2						
20	1	119100-28900	O-RING,2ND BALANCER	1	1						
21	1	26116-121002	BOLT M12X100 PLATED	3	3						
22	1	119100-28500	BOLT	3	3						

Fig.16.LUB.OIL COOLER




16.LUB.OIL COOLER

(A)=4LH-WST
(B)=4LH-WSTZAY
(C)=

(D)=
(E)=
(F)=


REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	719174-33700	OIL COOLER ASSY.	1	1						
2	2	135400-01790	PLUG	1	1						
3	2	121850-01920	STUD, 2D 8X22	4	4						
4	2	119173-33010	LUB. OIL COOLER	1	1						
6	2	119173-33100	COVER A	1	1						
7	2	119174-33100	COVER B,OIL COOLER	1	1						
8	2	127495-33190	CORE SET	1	1						
15	2	23414-100000	GASKET 10, ROUND	1	1						
16	2	23876-040000	PLUG PT 1/2	2	2						
17	2	24311-000900	O-RING 1A P-90.0	2	2						
18	2	26106-080252	BOLT M 8X 25 PLATED	4	4						
19	2	26306-080002	NUT, M8	4	4						
20	1	119174-33150	MOUNT,OIL COOLER	1	1						
21	1	26212-080162	STUD M 8X 16	3	3						
22	1	26106-080252	BOLT M 8X 25 PLATED	4	4						
23	1	26106-080252	BOLT M 8X 25 PLATED	2	2						
24	1	26106-100252	BOLT M10X 25 PLATED	1	1						
25	1	719171-33100	OIL COOLER HOUSING	1	1						
27	2	119000-34030	VALVE, OIL PRESSURE	1	1						
28	2	124411-35520	SPRING	1	1						
31	2	23414-180000	GASKET 18, ROUND	2	2						
32	1	119000-33022	GASKET, COOLER CASE	1	1						
33	1	119000-33030	BEND	1	1						
34	1	119000-33041	GASKET, BEND	1	1						
35	1	26106-080202	BOLT M 8X 20 PLATED	3	3						
36	1	26106-080202	BOLT M 8X 20 PLATED	1	1						
37	1	26106-080352	BOLT M 8X 35 PLATED	8	8						
38	1	26106-080352	BOLT M 8X 35 PLATED	1	1						
39	1	26106-080502	BOLT M 8X 50 PLATED	10	10						
40	1	26306-080002	NUT, M8	3	3						



REF.	LEV.	PARTS NO.	DESCRIPTION	QTY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	119189-35140	MOUNT COMP.,FILTER	1	1						
2	2	124610-35140	RETAINER	1	1						
4	1	127695-35150	STRAINER, LUB. OIL	1	1						
5	1	23876-030000	PLUG PT3/8,SCREW	1	1						
6	1	24311-000120	O-RING 1A P-120	1	1						
7	1	24311-000180	O-RING 1A P-180	2	2						
8	1	26106-080502	BOLT M 8X 50 PLATED	2	2						
9	1	26106-081102	BOLT M 8X110 PLATED	2	2						
10	1	119173-39350	PIPE,LUB OIL	1	1						
11	1	24321-000250	O-RING 1A G-25.0	5	5						
12	1	26106-080252	BOLT M 8X 25 PLATED	4	4						
13	1	26106-080302	BOLT M 8X 30 PLATED	3	3						
14	1	119174-35250	MOUNT,BP FILTER	1	1						
15	1	119174-35260	FITTINGS,RUBBER HOSE	1	1						
16	1	119174-35270	BOLT,BP FILTER MTG.	1	1						
17	1	119174-35400	STRAINER, LUB.OIL	1	1						
18	1	22351-060012	SPRING PIN 6X12	2	2						
19	1	23414-180000	GASKET 18, ROUND	1	1						
20	1	23876-020000	PLUG PT1/4,SCREW	1	1						
21	1	24311-000160	O-RING 1A P-160	1	1						
23	1	119181-39401	PIPE, LUB. OIL	1	1						
24	1	23297-060081	RETAINER, A6X8	2	2						
25	1	22190-080002	SEAL WASHER 8S	6	6						
26	1	129198-59540	BOLT, JOINT M8	3	3						
27	1	26106-080122	BOLT M 8X 12 PLATED	2	2						
28	1	119187-39300	PIPE, LUB. OIL	1	1						
29	1	119175-39720	CLAMP, PIPE	2	2						
30	1	119187-39360	PIPE, LUB. OIL	1	1						
31	1	119187-39370	PIPE, LUB. OIL	1	1						
32	1	119194-39500	CLAMP, PIPE	1							
33	1	119173-39500	RETAINER A, PIPE		1						
34	1	24311-000120	O-RING 1A P-120	3	3						
35	1	26366-080002	NUT M 8	2	2						
36	1	26106-080162	BOLT M 8X 16 PLATED	4	4						
37	1	26106-080252	BOLT M 8X 25 PLATED	2	2						
38	1	26106-100162	BOLT M10X 16 PLATED	1	1						
39	1	129590-18520	JOINT 10, PIPE	1	1						
40	1	119174-35300	JOINT,RUBBER	1	1						
41	1	119187-39700	VALVE ASSY, CHECK	1	1						
47	1	23000-013000	CLAMP 13	2	2						
48	1	23414-100000	GASKET 10, ROUND	2	2						
49	1	121252-39150	BOLT, PIPE JOINT	2	2						
50	1	119187-39610	PIPE, LUB. OIL	1	1						
51	1	129792-39610	JOINT, RUBBER	1	1						
52	1	119174-39651	PIPE,TURBO OUT.L.O.	1	1						
53	1	23000-025000	CLAMP 25	2	2						
54	1	23414-100000	GASKET 10, ROUND	4	4						
55	1	24316-000200	O-RING 4D P-20.0	1	1						
56	1	26106-060162	BOLT M 6X 16 PLATED	2	2						
57	1	119173-39510	RETAINER B, PIPE	1	1						
58	1	26106-060122	BOLT M 6X 12 PLATED	2	2						


N:Old $\xrightarrow[\text{No}]{\text{Yes}}$ New, Q:Old $\xrightarrow[\text{Yes}]{\text{No}}$ New, R:Old $\xrightarrow[\text{Yes}]{\text{Yes}}$ New, S:Old $\xrightarrow[\text{No}]{\text{No}}$ New, W:Add, Z:Discontinued, F:Interchangeable by set, K:Q'ty Change
 ++ CONTINUE ++
 (C)Copy Rights YANMAR CO.,LTD.

Fig.17.LUB.OIL SYSTEM



REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
59	1	22137-080000	WASHER 8, POLISHED	2	2						
60	1	119175-39710	BOLT, SPACER	1	1						


Fig.18.COOLING FRESH WATER PUMP



18.COOLING FRESH WATER PUMP

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	119171-42003	CFW PUMP CMP	1	1						
7	2	23871-030000	PLUG PT38,SCREW	2	2						
8	2	119000-42051	GASKET, PUMP	1	1						
9	2	119000-42151	GASKET, PUMP	1	1						
10	2	119000-42141	FLANGE	1	1						
11	2	119171-42300	ORING	1	1						
12	1	121850-42280	VBELT A46	1	1						
13	1	26106-080652	BOLT M 8X 65 PLATED	5	5						
14	1	26106-080102	BOLT M 8X 10 PLATED	4	4						
15	1	119171-49530	COVER, THERMOSTAT	1	1						
16	1	121850-49540	GASKET, THERMOSTAT	1	1						
17	1	121850-49550	GASKET, THERMOSTAT	1	1						
18	1	121850-49810	THERMOSTAT	1	1						
19	1	26106-060202	BOLT M 6X 20 PLATED	2	2						
20	1	26106-060452	BOLT M 6X 45 PLATED	2	2						
21	1	119000-42021	GASKET, PUMP	1	1						
22	1	121850-42250	V-PULLEY, WATER PUMP	1	1						

Fig.19.COOLING SEA WATER PUMP




19.COOLING SEA WATER PUMP

(A)=4LH-WST
(B)=4LH-WSTZAY
(C)=

(D)=
(E)=
(F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	719174-42100	PUMP ASSY, C. WATER	1	1						
2	2	119100-26200	GEAR Z=27	1	1						
4	3	XKFD4LH4251	BODY, PUMP	1	1						
5	3	123325-42021	IMPELLER, C. WATER	1	1						
8	3	119171-42520	SHAFT, IMPELLER	1	1						
9	3	119171-42530	COVER	1	1						
10	3	XKFD4LH4255	PLATE	1	1						
11	3	24321-000700	O-RING 1A G70.0,NBR	1	1						
12	3	123472-42060	SEAL, MECHANICAL	1	1						
13	3	XKFEM420210	COLLAR	1	1						
14	3	123472-42150	OIL SEAL TC203508	1	1						
15	3	123472-42140	CIRCLIP	1	1						
16	3	24104-062044	BALL BEARING	2	2						
17	3	22252-000470	CIRCLIP 47(H)	1	1						
18	3	24311-000200	O-RING 1A P-20.0	1	1						
19	3	126650-42301	JOINT	1	1						
20	3	26113-060102	BOLT M6X10	4	4						
21	2	24101-060064	BALL BEARING	2	2						
22	1	24341-000800	O-RING 1A S-80.0	1	1						
23	1	26106-080202	BOLT M8X20 PLATED	2	2						
24	1	26306-080002	NUT, M8	2	2						

Fig.20.FRESH WATER COOLER & COVER




20.FRESH WATER COOLER & COVER

(A)=4LH-WST
(B)=4LH-WSTZAY
(C)=


(D)=
(E)=
(F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	719194-44500	EXCHANGER ASSY, HEAT	1	1						
2	2	119174-44002	EXCHANGER ASSY HEAT	1	1						
4	3	119773-13160	PLUG, 28	4	4						
5	2	119181-44110	CORE ASSY, COOLER	1	1						
6	2	119174-44440	COVER A	1	1						
7	2	119174-44450	COVER B	1	1						
8	2	119174-44470	GASKET	1	1						
9	2	120445-44640	GASKET	1	1						
10	2	26106-080142	BOLT 8X14 PLATED	4	4						
11	2	24311-001200	O-RING 1A P-120.0	2	2						
12	2	24321-000300	O-RING G30	1	1						
13	2	26106-080252	BOLT M 8X.25 PLATED	7	7						
14	2	26223-100252	STUD M10X 25	4	4						
15	2	129171-44600	FILLER ASSY	1	1						
16	3	129107-44590	CAP, RADIATOR D46	1	1						
18	1	22137-080000	WASHER 8, POLISHED	6	6						
19	1	119595-13200	GASKET	4	4						
20	1	119620-49290	COCK ASSY	2	2						
21	1	124460-77680	RETAINER	2	2						
22	1	23061-070300	PIPE 7X 300	2	2						
23	1	26116-081402	BOLT M 8X140 PLATED	6	6						
24	1	720445-44200	SUB RESERVOIR ASSY	1	1						
26	2	120445-44540	BRACKET, SUB-TANK	1	1						
27	1	124790-44560	PIPE, C. WATER	1	1						
28	1	23010-013000	CLAMP 13	2	2						
29	1	26306-080002	NUT, M8	2	2						



N:Old $\xleftrightarrow[\text{No}]{\text{Yes}}$ New, Q:Old $\xleftrightarrow[\text{Yes}]{\text{No}}$ New, R:Old $\xleftrightarrow[\text{Yes}]{\text{No}}$ New, S:Old $\xleftrightarrow[\text{No}]{\text{Yes}}$ New, W:Add, Z:Discontinued, F:Interchangeable by set, K:Q'ty Change
(C)Copy Rights YANMAR CO.,LTD.

Fig.22.COOLING FRESH WATER PIPE




22.COOLING FRESH WATER PIPE

(A)=4LH-WST
(B)=4LH-WSTZAY
(C)=

(D)=
(E)=
(F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	129670-49290	COCK ASSY	1	1						
2	1	120445-49150	JOINT	1	1						
3	1	119174-49250	PIPE	1	1						
4	1	119171-49240	PIPE	1	1						
5	1	119171-49250	PIPE	1	1						
6	1	124460-77680	RETAINER	1	1						
7	1	119172-48480	CLIP, HOSE	3	3						
8	1	119172-48540	CLIP, HOSE	3	3						
9	1	23061-070300	PIPE 7X300	1	1						
10	1	26106-080162	BOLT M8X16 PLATED	1	1						
11	1	104407-44480	JOINT	1	1						
12	1	119187-49300	PIPE(A)	1	1						
13	1	119174-49310	PROTECTOR,C.F.W.PIPE	1	1						
14	1	119187-49321	JOINT	2	2						
15	1	119187-49331	JOINT	1	1						
16	1	119174-49341	PIPE,TURB.THRM.C.F.W	1	1						
17	1	119187-49360	PIPE	1	1						
18	1	119172-48250	CLIP, HOSE	6	6						
19	1	23875-030000	PLUG PT3/8,STEEL	1	1						
20	1	26106-080162	BOLT M8X16 PLATED	2	2						
21	1	119187-49350	PIPE	1	1						

Fig.23.FUEL INJECTION PUMP




Remarks
(1)Governor assy(Fig.24) and fuel feed pump assy(Fig.25) is incorporated in this fuel injection pump assy(Ref.No.1).

23.FUEL INJECTION PUMP

(A)=4LH-WST
(B)=4LH-WSTZAY
(C)=

(D)=
(E)=
(F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	719195-51300	PUMP ASSY, INJECTION	1	1						1
5	3	119175-51030	CAM SHAFT, FUEL PUMP	1	1						
7	3	119000-51050	BEARING	1	1						
8	3	122710-51050	BEARING, ROLLER	1	1						
9	3	119000-51060	SUPPORT, BEARING A	1	1						
10	3	119175-51070	BOLT M 6X 20	4	4						
11	3	119100-51081	COVER, LOWER	1	1						
12	3	119100-51091	GASKET, COVER	1	1						
13	3	144626-51090	KEY, WOODRUFF 5X19	1	1						
14	3	119593-51100	PLUNGER W/BARREL	4	4						
19	4	119000-51151	DEFLECTOR	4	4						
20	4	119000-51430	PIN, DEFLECTOR	4	4						
21	4	22242-000200	CIRCLIP 20	4	4						
22	3	119000-51161	SPRING, PLUNGER	4	4						
23	3	119000-51170	SEAT, SPRING A	4	4						
24	3	119000-51181	SEAT, SPRING B	4	4						
25	3	119573-51200	TAPPET ASSY	4	4						
29	3	158600-51270	STOPPER, TAPPET	4	4						
30	3	129155-51280	O-RING, S6	4	4						
31	3	119593-51300	VALVE ASSY, DELIVERY	4	4						
34	3	119000-51330	SPRING, DELIVERY	4	4						
35	3	119175-51340	VALVE ASSY, DELIVERY	4	4						
42	3	122710-51350	GASKET, DELIVERY	4	4						
43	3	119000-51411	O-RING	8	8						
44	3	119000-51450	SHIM SET, CAM SHAFT	1	1						
50	3	119187-51500	RACK, CONTROL	1	1						
51	3	119000-51511	SLEEVE, CONTROL	4	4						
52	3	119593-51520	WASHER	1	1						
53	3	119593-51530	SPRING, RACK	1	1						
54	3	119000-51550	COVER, RACK	1	1						
55	3	119000-51570	GUIDE, RACK	2	2						
56	3	119000-51580	SCREW, GUIDE	1	1						
57	3	119000-51590	SCREW, GUIDE	1	1						
58	3	119000-51650	SHIM SET, ADJUSTING	8	8						
70	3	158563-51662	O-RING S26	4	4						
71	3	121850-51700	BUSHING, OIL FEED	1	1						
72	3	119000-51800	BOLT, BARREL MOUNTING	8	8						
73	3	119000-51900	OIL SEAL AC1290E0	1	1						
74	3	121952-51900	PLUG	1	1						
75	3	121952-51900	PLUG	1	1						
76	3	137600-53900	SCREW M6X 6	1	1						
77	3	22190-060000	SEAL WASHER 6(BOLT)	4	4						
78	3	22351-020008	SPRING PIN 2X 8	1	1						
79	3	22351-020012	SPRING PIN 2X 12	1	1						
80	3	23414-220029	GASKET 22	1	1						
81	3	24341-000500	O-RING 1A S-50.0	1	1						
82	3	24356-190150	O-RING 4D 19015	4	4						
83	3	24356-190160	O-RING 4D 19016	2	2						
84	3	26106-060182	BOLT M 6X 18 PLATED	6	6						
85	3	26216-060162	STUD M 6X 16 PLATED	3	3						
86	3	26366-080002	NUT M 8	8	8						




(D)=
(E)=
(F)=

[illegible]

N:Old ☐ Yes ☐ No New, Q:Old ☐ No ☐ Yes New, R:Old ☐ Yes ☐ No New, S:Old ☐ No ☐ Yes New, W:Add, Z:Discontinued, F:Interchangeable by set, K:Q'ty Change
(C)Copy Rights YANMAR CO.,LTD.

Fig.24.GOVERNOR




- Remarks
- (1)Pitch 51
 - (2)Pitch 52
 - (3)Pitch 53
 - (4)Pitch 51.5
 - (5)Pitch 52.5
 - (6)Pitch 53.5

24.GOVERNOR

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
3	3	124610-51970	LABEL	1	1						
4	3	119573-61030	CASE, GOVERNOR	1	1						
7	4	120323-61430	BUSH	2	2						
8	4	129595-61610	BUSH	1	1						
9	4	127695-61840	BUSH, STOP LEVER	1	1						
10	3	119000-61120	LINK	1	1						
11	3	119595-61170	PIN, LINK	1	1						
12	3	119187-61190	SPRING, LINK	1	1						
13	3	119173-61400	LEVER ASSY, CONTROL	1	1						
15	4	120323-61420	LEVER, GOVERNOR	1	1						
18	4	22322-030220	TAPER PIN, 3X22	2	2						
19	3	127695-61450	BOLT, CONTROL	1	1						
20	3	121850-61470	BOLT, CONTROL	1	1						
21	3	129795-61470	PLUG 20BORE	1	1						
22	3	119000-61490	SHAFT,GOVERNOR LEVER	1	1						
23	3	119195-61500	LEVER ASSY, GOVERNOR	1	1						
28	4	127495-61540	SHIFTER	1	1						
30	4	119594-61601	SPRING	1	1						
32	4	119187-61911	RETAINER, SPRING	1	1						
33	4	119187-61920	CIRCLIP	1	1						
34	4	119187-61930	PIN, LEVER	1	1						
36	4	22272-000040	CIRCLIP E- 4	5	5						
37	4	26577-060162	SCREW M 6X 16	1	1						
38	4	26716-060002	NUT 6	1	1						
39	3	120320-61540	SEAL SC102004	1	1						
40	3	129595-61600	CASE	1	1						
41	3	129595-61620	ROD, SLIDER	1	1						
42	3	119000-61630	SHIM SET, ADJUSTING	2	2						
48	3	119593-61650	SPRING, RETURN	1	1						
49	3	148616-61650	OIL SEAL VC081404	1	1						
50	3	127495-61660	RING	1	1						
51	3	129595-61671	BOLT,ADJUSTING	1	1						
52	3	129595-61681	DIAPHRAGM ASSY	1	1						
53	3	119593-61760	SPRING, DIAPHRAGM	1	1						
54	3	119593-61800	LEVER ASSY, STOP	1	1						
57	4	22351-030016	SPRING PIN 3X16	1	1						
58	3	119593-61830	SPRING, RETURN	1	1						
59	3	119594-61850	LEVER, SETTING	1	1						
60	3	119593-61860	SHAFT, LEVER	1	1						
61	3	119593-61890	INTERMEDIATE	1	1						
62	3	22117-050000	WASHER 5	2	2						
63	3	22117-080000	WASHER 8	1	1						
64	3	22137-080000	WASHER 8, POLISHED	1	1						
65	3	22190-080002	SEAL WASHER 8S	2	2						
66	3	22190-120002	SEAL WASHER 12	1	1						
67	3	22190-160002	WASHER 16	1	1						
68	3	22272-000040	CIRCLIP E- 4	1	1						
69	3	22272-000060	CIRCLIP E- 6	1	1						
70	3	22272-000080	CIRCLIP E- 8	2	2						
71	3	22272-000080	CIRCLIP E- 8	1	1						
72	3	22351-030016	SPRING PIN 3X16	1	1						

Fig.24.GOVERNOR



Remarks


- (1)Pitch 51
- (2)Pitch 52
- (3)Pitch 53
- (4)Pitch 51.5
- (5)Pitch 52.5
- (6)Pitch 53.5

24.GOVERNOR

(A)=4LH-WST
 (B)=4LH-WSTZAY
 (C)=

(D)=
 (E)=
 (F)=



REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
73	3	22492-060362	PIN,M6X36	1	1						
74	3	23887-160002	PLUG 16-HEX	1	1						
75	3	24311-000120	O-RING 1A P-120	1	1						
76	3	24341-000080	O-RING, 1A S8.0	2	2						
77	3	26106-060182	BOLT M 6X18 PLATED	3	3						
78	3	26667-080002	CAP NUT M 8	1	1						
79	3	26716-060002	NUT 6	1	1						
80	3	26756-080002	LOCK NUT M 8 PLATED	1	1						
81	3	26756-080002	LOCK NUT M 8 PLATED	1	1						
82	3	26777-120002	NUT 12	1	1						
83	2	119000-61052	GASKET, CASE	1	1						
84	2	119187-61071	COVER, GOVERNOR CASE	1	1						
85	2	127695-61071	GASKET, COVER	1	1						
86	2	114780-61090	TIN	3	3						
87	2	119593-61100	LINK	1	1						1
88	2	120325-61100	WIRE 1.0	3	3						
89	2	119593-61110	LINK	1	1						2
90	2	119593-61120	LINK	1	1						3
91	2	119593-61130	LINK	1	1						4
92	2	119593-61140	LINK	1	1						5
93	2	119593-61150	LINK	1	1						6
94	2	119000-61180	PIN, LINK	1	1						
95	2	119187-61201	WEIGHT ASSY,GOVERNOR	1	1						
102	2	119187-61300	SLEEVE ASSY	1	1						
111	2	171353-61460	BOLT, IDLE	1	1						
112	2	119000-61470	NUT, LOCK M6	1	1						
113	2	119174-61550	ANGLEICH ASSY	1	1						
116	3	124616-61580	NUT, LOCK	1	1						
147	2	127695-61551	IDLE ASSY, SUB	1	1						
148	3	158601-61510	SPACER,FUEL LIMITER	1	1						
149	3	127695-61560	SPRING, IDLE SUB	1	1						
150	3	119187-61651	BOLT, IDLE SUB	1	1						
151	3	119187-61661	PIN, IDLE SUB	1	1						
152	2	119594-61700	SPRING, GOVERNOR	1	1						
153	2	119593-61900	LEVER	1	1						
154	2	119593-61910	COVER, UPPER	1	1						
155	2	119593-61920	SPRING, RETURN	1	1						
156	2	129100-61930	NUT, CAP	1	1						
157	2	129100-61930	NUT, CAP	1	1						
158	2	127695-61961	GASKET, COVER	1	1						
159	2	119593-61990	SUPPORT, WIRE	1	1						
160	2	22117-050000	WASHER 5	2	2						
161	2	22190-080002	SEAL WASHER 8S	1	1						
162	2	22190-100002	WASHER,10	1	1						
163	2	22190-120002	SEAL WASHER 12	1	1						
164	2	22190-120002	SEAL WASHER 12	2	2						
165	2	22217-060000	SPRING WASHER 6	1	1						
166	2	22272-000040	CIRCLIP E- 4	1	1						
167	2	22276-000100	RING, 10	1	1						
168	2	22351-030025	SPRING PIN 3X25	1	1						
169	2	22351-050020	SPRING PIN 5X20	2	2						



(D)=
(E)=
(F)=

N:Old $\xleftrightarrow[\text{No}]{\text{Yes}}$ New, Q:Old $\xleftrightarrow[\text{Yes}]{\text{No}}$ New, R:Old $\xleftrightarrow[\text{Yes}]{\text{Yes}}$ New, S:Old $\xleftrightarrow[\text{No}]{\text{No}}$ New, W:Add, Z:Discontinued, F:Interchangeable by set, K:Q'ty Change
(C)Copy Rights YANMAR CO.,LTD.

Fig.25.FUEL FEED PUMP




25.FUEL FEED PUMP

(A)=4LH-WST
(B)=4LH-WSTZAY
(C)=

(D)=
(E)=
(F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	119593-52000	PUMP ASSY, FUEL FEED	1	1						
2	2	121820-52020	HOUSING ASSY, FEED P	1	1						
4	3	121820-52040	SEAL, OIL	1	1						
5	3	121820-52050	GASKET	2	2						
6	2	121820-52070	PIN, SNAP	1	1						
14	2	135200-52170	PISTON	1	1						
15	2	119588-52180	SPRING, PISTON	1	1						
16	2	119588-52190	PLUG	1	1						
17	2	119593-52180	SPRING, PISTON	1	1						
18	2	121820-52200	GASKET	1	1						
19	2	121820-52210	VALVE	2	2						
20	2	121820-52230	ADAPTER	1	1						
21	2	124410-51861	GASKET	1	1						
22	2	121820-52300	PUMP, PRIMING	1	1						
23	2	121820-52510	SPRING, VALVE	2	2						
24	2	22217-060000	SPRING WASHER 6	3	3						
25	2	26716-060002	NUT 6	3	3						

Fig.26.TIMER & F.I.PUMP MOUNT





26.TIMER & F.I.PUMP MOUNT

(A)=4LH-WST
(B)=4LH-WSTZAY
(C)=

(D)=
(E)=
(F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	119000-25910	BRACKET, PUMP	1	1						
2	1	119000-25920	RETAINER	1	1						
3	1	124410-51960	O-RING, BEARING	1	1						
4	1	144606-54900	CAP NUT	1	1						
5	1	144606-54910	WASHER	1	1						
6	1	106100-55800	WASHER	3	3						
7	1	22351-050012	PIN 5X12,SPRING	1	1						
8	1	24341-001350	O-RING 1A S-135.0	1	1						
9	1	26106-080252	BOLT M 8X 25 PLATED	3	3						
10	1	26226-100322	STUD M10X 32 PLATED	4	4						
11	1	26306-100002	NUT, M10	4	4						
12	1	719175-54102	TIMER ASSY(4LH-STE	1	1						

Fig.27.FUEL INJECTION VALVE & FUEL INJECTION PIPE




27.FUEL INJECTION VALVE & FUEL INJECTION PIPE

(A)=4LH-WST (D)=
(B)=4LH-WSTZAY (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	719195-53100	VALVE ASSY,INJECTION	4	4						
2	2	129470-11920	GASKET	4	4						
3	2	119195-53000	NOZZLE ASSY	4	4						
6	2	119593-53080	NUT, CASE	4	4						
7	2	119594-53100	HOLDER, NOZZLE	4	4						
10	2	119593-53120	SPRING, NOZZLE	4	4						
11	2	119593-53130	SEAT, SPRING	4	4						
12	2	119593-53140	PLATE, STOP	4	4						
13	2	114250-53210	PIN	8	8						
14	2	119594-53290	GASKET	4	4						
15	2	119175-53300	JOINT CMP	4	4						
18	2	114250-53400	SHIM SET	4	4						
30	1	122780-59080	RETAINER	3	3						
32	2	26106-060202	BOLT M 6X 20 PLATED	6	6						
33	2	26366-060002	NUT M 6	6	6						
34	1	123372-59080	RETAINER	1	1						
36	2	26106-060202	BOLT M 6X 20 PLATED	2	2						
37	2	26366-060002	NUT M 6	2	2						
38	1	119181-59120	BRACKET,STEADY REST	1	1						
40	1	119181-59811	PIPE,FUEL INJECTION	1	1						
44	1	119181-59821	PIPE, FUEL INJECTION	1	1						
48	1	119181-59831	PIPE, FUEL INJECTION	1	1						
52	1	119181-59841	PIPE, FUEL INJECTION	1	1						
56	1	26106-060252	BOLT M 6X 25 PLATED	4	4						


Fig.28.FUEL PIPE



28.FUEL PIPE


REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	119174-55650	BRACKET, F.O.FILTER	1	1						
2	1	26106-080252	BOLT M8X 25 PLATED	3	3						
3	1	26106-100252	BOLT M10X 25 PLATED	2	2						
4	1	41650-550310	STRAINER, FUEL	1	1						
5	2	123678-55700	COVER	1	1						
6	2	123678-55720	CASE	1	1						
7	2	123672-55750	PLUG	1	1						
8	2	123672-55760	GASKET	1	1						
9	2	123678-55770	BOLT, CENTER	1	1						
10	2	123678-55790	SPRING	1	1						
11	2	123678-55850	GASKET	1	1						
12	2	123678-55860	SPRING SEAT	1	1						
13	2	123678-55870	GASKET	1	1						
14	2	123678-55880	PLUG	1	1						
15	2	123678-55890	GASKET	1	1						
16	2	41650-550810	STRAINER	1	1						
17	1	124450-01980	GASKET	1	1						
18	1	119187-59013	PIPE,FUEL	1	1						
19	1	119187-59022	PIPE, FUEL OIL	1	1						
20	1	123325-59420	PIPE ASSY	1	1						
21	1	121750-59890	CLAMP 140	1	1						
22	1	124770-77940	PROTECTOR	1	1						
23	1	22190-140002	WASHER, 14	4	4						
24	1	22190-140002	WASHER, 14	4	4						
25	1	23414-140018	GASKET 14	1	1						
26	1	23857-080000	JOINT BOLT 8,PIPE	5	5						
27	1	119187-59540	PIPE,FUEL	1	1						
28	2	119187-59460	PROTECTOR, FUEL PIPE	1	1						
30	1	129495-59551	PIPE, FUEL RETURN	3	3						
31	1	129495-59561	PIPE, FUEL OIL	1	1						
32	1	119593-59581	CAP	1	1						
33	1	119593-59590	CLIP	1	1						
34	1	121750-59910	JOINT 14, PIPE	1	1						
35	1	119593-59920	VALVE ASSY, CHECK	1	1						
39	1	119595-59950	VALVE ASSY, CHECK	1	1						
45	1	119593-59960	ELBOW	1	1						
46	1	119593-59980	JOINT,FUEL RETN,PIPE	1	1						
47	1	22190-140002	WASHER, 14	4	4						
48	1	23000-013000	CLAMP 13	8	8						
49	1	23000-013000	CLAMP 13	2	2						
50	1	120324-55751	SEPARATOR ASSY	1	1						
51	2	X2740134002	COVER ASSY	1	1						
53	2	X0582810173	GASKET	1	1						
54	2	120324-55760	ELEMENT,FUEL OIL	1	1						
55	2	X0311120810	BOLT, CENTER	1	1						
56	2	X0580121073	O-RING 1A P 120	1	1						
57	2	X0300120414	SEAT, SPRING	1	1						
58	2	X0600160122	SPRING	1	1						
59	2	X0313080922	BOLT	1	1						
60	2	X0588080273	GASKET	2	2						
61	2	X0314080110	PLUG	1	1						

N:Old $\begin{smallmatrix} \text{Yes} \\ \text{No} \end{smallmatrix}$ New, Q:Old $\begin{smallmatrix} \text{No} \\ \text{Yes} \end{smallmatrix}$ New, R:Old $\begin{smallmatrix} \text{Yes} \\ \text{Yes} \end{smallmatrix}$ New, S:Old $\begin{smallmatrix} \text{No} \\ \text{No} \end{smallmatrix}$ New, W:Add, Z:Discontinued, F:Interchangeable by set, K:Q'ty Change
++ CONTINUE ++
(C)Copy Rights YANMAR CO.,LTD.



REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY					
				(A)	(B)	(C)	(D)	(E)	(F)
62	2	X0993071171	CAUTION MARK	1	1				
63	1	123672-55811	BRACKET	1	1				
64	1	123325-59420	PIPE ASSY	2	2				
65	1	22137-080000	WASHER 8, POLISHED	2	2				
66	1	22217-080000	WASHER, 8	2	2				
67	1	23000-016000	CLAMP 16	2	2				
68	1	23414-140000	GASKET 14, ROUND	4	4				
69	1	23857-080000	JOINT BOLT 8, PIPE	2	2				
70	1	26106-080402	BOLT M 8X 40 PLATED	2	2				
71	1	26106-100202	BOLT M10X 20 PLATED	2	2				
72	1	26306-080002	NUT, M8	2	2				
73	1	26706-100002	NUT M10	2	2				
74	1	127610-59150	PIPE	2	2				
75	1	23000-016000	CLAMP 16	4	4				

Fig.29.ENGINE STOP DEVICE




29.ENGINE STOP DEVICE

(A)=4LH-WST
(B)=4LH-WSTZAY
(C)=

(D)=
(E)=
(F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	171078-66551	PIN	1	1						
2	1	119174-67300	BRACKET,SOLENOID	1	1						
3	1	119174-67310	LINK	1	1						
4	1	129590-67310	CLAMP	1	1						
5	1	119588-67320	ENGINE STOP SOLENOID	1	1						
6	1	119174-67450	WIRE,CANCEL	1	1						
7	1	119174-67900	BRACKET,CANCEL WIRE	1	1						
8	1	124617-91860	RELAY(MR5A-24V)	1	1						
9	1	22137-060000	WASHER 6, POLISHED	2	2						
10	1	22117-080000	WASHER 8	3	3						
11	1	22217-060000	SPRING WASHER 6	2	2						
12	1	22360-050000	SNAP PIN 5	1	1						
13	1	22360-060000	SNAP PIN 6	1	1						
14	1	22360-080000	SNAP PIN 8	1	1						
15	1	26106-060102	BOLT 6X10 PLATED	2	2						
16	1	26106-060202	BOLT M 6X 20 PLATED	1	1						
17	1	26106-080122	BOLT M 8X 12 PLATED	2	2						
18	1	26106-080122	BOLT M 8X 12 PLATED	2	2						
19	1	26116-050142	BOLT, M5X14	1	1						
20	1	26716-050002	NUT, M5	1	1						
21	1	120220-66250	PIN (A)	1	1						
22	1	26366-060002	NUT M 6	1	1						
23	1	119181-67150	BRACKET. CABLE	1	1						
24	1	22217-050000	SPRING WASHER 5	2	2						
25	1	22217-080000	WASHER, 8	1	1						
26	1	26106-080122	BOLT M 8X 12 PLATED	2	2						
27	1	26116-080252	BOLT M 8X 25 PLATED	1	1						
28	1	26557-050122	SCREW, M5X12	2	2						
29	1	26716-050002	NUT, M5	2	2						
30	1	26716-080002	NUT M 8	1	1						
31	1	41701-001720	BRACKET	1	1						
32	1	41710-000410	CLAMP	1	1						
33	1	41710-001300	JOINT	1	1						
34	1	41730-501250	HEAD, REMOTE-CONTROL	1							
35	1	41730-501421	HEAD, REMOTE-CONT.	1							


Fig.30.STARTING MOTOR



30.STARTING MOTOR

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	124617-77011	STARTING MOTOR	1	1						
2	2	121254-77600	BEARING ASSY, CENTER	1	1						
3	3	119129-77210	SEAL, OIL	1	1						
5	2	124617-77110	ARMATURE ASSY	1	1						
6	3	121254-77410	BALL BEARING	1	1						
7	3	121254-77420	BALL BEARING	1	1						
9	2	119129-77440	COIL ASSY, FIELD	1	1						
11	2	119129-77460	BRUSH(+)	2	2						
12	2	119129-77470	HOLDER ASSY, BRUSH	1	1						
13	3	119129-77480	BRUSH(-)	2	2						
14	3	121254-77590	SPRING, BRUSH	4	4						
15	2	121254-77430	WASHER KIT, THRUST	1	1						
20	2	119129-77530	COVER, REAR	1	1						
21	2	121254-77700	LEVER SET, SHIFT	1	1						
24	2	121254-77730	DUST COVER SET	1	1						
28	2	124610-77640	SHAFT ASSY, GEAR	1	1						
30	2	119129-77630	PINION ASSY	1	1						
31	2	124617-77510	SWITCH ASSY MAGNETIC	1	1						
32	2	119129-77650	CASE ASSY, GEAR	1	1						
33	3	119129-77660	BEARING, METAL	1	1						
34	2	119129-77670	STOPPER SET, PINION	1	1						
37	2	124617-77590	RELAY, STARTER	1	1						
38	2	119129-77710	WIRE-HARNESS	1	1						
39	2	119129-77720	WIRE-HARNESS	1	1						
40	2	119129-77740	COVER, TERMINAL	3	3						
41	2	121254-77810	TERMINAL COVER	1	1						
42	2	121254-77770	BOLT, THROUGH	2	2						
43	2	26106-060302	BOLT M 6X 30 PLATED	3	3						
44	2	26106-060452	BOLT M 6X 45 PLATED	2	2						
45	2	26116-050082	BOLT, M5X8	2	2						
46	2	26450-050122	BOLT, M5X12	2	2						
47	2	26557-040122	SCREW, M4X12	2	2						
48	1	119773-77030	COVER, TERMINAL	1	1						
49	1	26116-120302	BOLT M12X 30 PLATED	3	3						
50	1	22137-120000	WASHER 12 POLISHED	3	3						
51	1	123310-77640	SWITCH, BATTERY	1	1						
52	1	123325-77920	TERMINAL	2	2						
53	1	123325-77930	TERMINAL	2	2						
54	1	22724-800380	SCREW, M8X38	2	2						

Fig.31.STARTING MOTOR(EARTH FLOAT TYPE/OPTIONAL)





31.STARTING MOTOR(EARTH FLOAT TYPE/OPTIONAL)

(A)=4LH-WST (D)=
(B)=4LH-WSTZAY (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	119773-77030	COVER, TERMINAL	2	2						
2	1	22137-120000	WASHER 12POLISHED	3	3						
3	1	26116-120302	BOLT M12X 30 PLATED	3	3						
4	1	46120-501480	STARTING MOTOR	1	1						
5	2	X225021001	ARMATURE ASSY	1	1						
6	3	X21302302	BALL BEARING	1	1						
7	3	X21303302	BALL BEARING	1	1						
8	2	X21302115	WASHER KIT, THRUST	1	1						
9	2	X22507105	SET, PINION STOPPER	1	1						
10	2	X225032001	COIL ASSY, FIELD	1	1						
11	2	X22505322	BRUSH(+)	2	2						
12	2	X225023014	REAR COVER	1	1						
13	2	X22506310	HOLDER ASSY, BRUSH	1	1						
14	3	X22503323	BRUSH(-)	2	2						
15	3	X21305313	SPRING, BRUSH	4	4						
16	2	X225054001	BEARING ASSY, CENTER	1	1						
17	3	X21301402	SEAL, OIL	1	1						
19	2	X22501113	SHAFT ASSY, GEAR	1	1						
20	2	X225025004	PINION ASSY	1	1						
21	2	X225097005	MAGNET SWITCH ASSY	1	1						
22	2	X225036002	CASE ASSY, GEAR	1	1						
24	2	X21302605	LEVER SET	1	1						
25	2	X21303610	COVER SET, DUST	1	1						
26	2	X21305820	BOLT, THROUGH	2	2						
27	2	X225017006	STARTER RELAY	1	1						
28	2	X22505770	WIRE, CONNECTING	1	1						
29	2	X22506770	WIRE, CONNECTING	1	1						
30	2	X21203744	TERMINAL COVER(1)	4	4						
31	2	X22507770	WIRE	1	1						
32	2	X22502325	INSULATOR	1	1						
33	2	X22509776	TERMINAL COVER(2)	1	1						
34	2	X21142742	COVER (A), RUBBER	1	1						

OCF10-G63300


Fig.32.GENERATOR



OCF10-G63300 32.GENERATOR

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	119187-77500	GENERATOR	1	1						
2	2	129900-77800	ROTOR ASSY	1	1						
3	2	129900-77810	BALL BEARING	1	1						
4	2	129900-77890	BRACKET, FRONT	1	1						
5	2	129900-77900	BALL BEARING	1	1						
6	2	129900-77910	PULLEY	1	1						
7	2	129900-77920	SCREW KIT	1	1						
8	2	119187-77831	BRACKET(STATOR+REGUL	1	1						
9	1	119175-77270	BRACKET, GENERATOR	1	1						
10	1	119171-77330	ADJUSTER, BELT	1	1						
11	1	121236-77340	SPACER	1	1						
12	1	119005-77350	BOLT (M8 X L25)	2	2						
13	1	22137-100000	WASHER 10POLISHED	1	1						
14	1	26106-060102	BOLT M5X10 PLATED	1	1						
15	1	26106-080202	BOLT M8X20 PLATED	4	4						
16	1	26116-101202	BOLT M10X120 PLATED	1	1						
17	1	26306-100002	NUT, M10	1	1						

Fig.33.GENERATOR(4LH-WST/EARTH FLOAT TYPE)




33.GENERATOR(4LH-WST/EARTH FLOAT TYPE)

(A)=4LH-WST
(B)=4LH-WSTZAY
(C)=
(D)=
(E)=
(F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	120324-77603	GENERATOR	1							
2	2	XL235G6318	CONDENSER	1							
3	2	XL2356100	ROTOR ASSY	1							
4	3	X6201SD	BALL BEARING	1							
5	2	XL23552001	STATER ASSY	1							
6	2	XL235G13002	COVER ASSY, REAR	1							
7	3	XL23583011	COVER, REAR	1							
8	3	XL235G7315	REGULATOR	1							
9	4	XL235G3330	BRUSH ASSY	1							
10	5	XL12013262	BRUSH	2							
11	4	XLTR2246	REGULATOR	1							
12	4	XL1501313	BOLT M6	2							
13	3	XL2256310	TERMINAL BOLT ASSY	1							
14	3	XL2356320	DIODE ASSY	1							
15	2	XL23534011	COVER ASSY, FRONT	1							
16	3	XL150M14041	RETAINER	1							
17	3	X6303BM	BALL BEARING 6303B	1							
18	3	XL15028001	SCREW ASSY	1							
19	2	XL235G5500	PULLEY ASSY	1							
20	2	XL15018015	BOLT, THROUGH	4							
21	2	XL1501810	NUT ASSY, PULLEY	1							
22	1	119171-77250	BRACKET, GENERATOR	1							
23	1	119171-77330	ADJUSTER, BELT	1							
24	1	121236-77340	SPACER	1							
25	1	119005-77350	BOLT (M8 X L25)	2							
26	1	124611-77410	COVER, GENERATOR	1							
27	1	22137-100000	WASHER 10POLISHED	1							
28	1	26106-080202	BOLT M8X20 PLATED	4							
29	1	26116-101202	BOLT M10X120 PLATED	1							
30	1	26306-100002	NUT, M10	1							

Fig.34.WIRE HARNESS



2線式
EARTH FLOAT TYPE



Remarks
(1)Repair part


OCF10-G63300 34.WIRE HARNESS

(A)=4LH-WST
(B)=4LH-WSTZAY
(C)=

(D)=
(E)=
(F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	124770-49310	RETAINER	1	1						
2	1	123682-77710	PROTECTOR	1	1						
3	1	119187-77814	WIRE HARNESS	1	1						
4	1	26106-080162	BOLT M 8X 16 PLATED	1	1						
5	1	129574-77720	HARNESS, WIRE (GM)	1	1						
6	1	121750-59890	CLAMP 140	1	1						
7	1	119187-77823	WIRE HARNESS	1	1						
8	1	120270-77102	SWITCH, SAFETY	1	1						
9	1	119187-77860	HARNESS, WIRE	1	1						
10	1	119187-77600	HARNESS, WIRE	1	1						1
11	1	119187-77610	HARNESS, WIRE	1	1						1
12	1	26106-050102	BOLT M 5X 10 PLATED	1	1						1

Fig.35.SENSOR(4LH-WST)





35.SENSOR(4LH-WST)

(A)=4LH-WST
(B)=4LH-WSTZAY
(C)=

(D)=
(E)=
(F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	124060-39452	SWITCH, OIL PRESSURE	1							
2	1	123482-39680	DAMPER	1							
3	1	128170-91160	SENSOR, TACHOMETER	1							
4	1	127610-91350	SWITCH, THERMO	1							
5	1	119773-91501	SENDER UNIT	1							
6	1	144626-91570	SENDER UNIT	1							

Fig.36.SENSOR(4LH-WSTZAY)



36.SENSOR(4LH-WSTZAY)

(A)=4LH-WST
(B)=4LH-WSTZAY
(C)=

(D)=
(E)=
(F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	124060-39452	SWITCH, OIL PRESSURE		1						
2	1	128170-91160	SENSOR, TACHOMETER		1						
3	1	127610-91350	SWITCH, THERMO		1						
4	1	144626-91570	SENDER UNIT		1						
5	1	23876-030000	PLUG PT38,SCREW		1						
6	1	129574-91561	SENDER UNIT		1						
7	1	129574-91570	SENDER, THERMOSTAT		1						
8	1	129574-77980	HARNESS, WIRE		1						
9	1	124617-91860	RELAY(MR5A-24V)		1						

Fig.37.SENSOR(EARTH FLOAT TYPE/OPTIONAL)




Fig. 34

37.SENSOR(EARTH FLOAT TYPE/OPTIONAL)


(A)=4LH-WST
(B)=4LH-WSTZAY
(C)=
(D)=
(E)=
(F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	128170-91160	SENSOR, TACHOMETER	1	1						
2	1	126630-91350	SWTCH, THERMO	1	1						
3	1	126630-91371	SWTCH, THERMO		1						
4	1	126630-91570	SENDER UNIT	1	1						
5	1	126630-91591	SWTCH,OIL PRESSURE	1	1						
6	1	23876-030000	PLUG PT38,SCREW		1						
7	1	123482-39680	DAMPER	1							
8	1	119773-91520	SENDER UNIT	1							

REF.	LEV.	PARTS NO.	DESCRIPTION	(A)=4LH-WST (B)=4LH-WSTZAY (C)=						(D)= (E)= (F)=						I	R
				(A)	(B)	(C)	(D)	(E)	(F)								
1	1	119188-81010	CLUTCH YX-20ZC-2 CMP		1												
2	1	119195-81020	CLUTCH YX-30-4 CMP	1													
3	1	119195-81010	CLUTCH YX-30-4 CMP	1													
4	1	119195-81030	CLUTCH YX-30-4 CMP	1													
5	1	119195-81040	CLUTCH YX-30-4 CMP	1													
6	1	26106-100302	BOLT M10X30 PLATED	8	8												
7	1	26106-100252	BOLT M10X25 PLATED	10	10												

Remarks
Parts listed in this figure are
not illustrated.

Fig.39.INSTRUMENT PANEL(4LH-WST)




39.INSTRUMENT PANEL(4LH-WST)

(A)=4LH-WST
(B)=4LH-WSTZAY
(C)=

(D)=
(E)=
(F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	119194-91191	PANEL ASSY, INSTRUM	1							
2	2	127692-91200	METER, TACH-HOUR(P129	1							
3	2	129574-91870	WIRE	3							
4	2	127620-91660	BULB	9							
5	2	127692-91210	METER	1							
6	2	129170-91810	COVER, SWITCH	1							
7	2	127692-91270	CIRCUIT, ALARM	1							
8	2	119189-91260	BOX ASSY, LAMP	1							
9	2	129574-91860	WIRE	1							
10	2	129574-91240	CLOCK	1							
11	2	127620-91250	CELL	1							
12	2	129574-91490	HOLDER	1							
13	2	129574-91880	WIRE	1							
14	2	127687-91760	BULB	1							
15	2	129574-91410	BRACKET, SWITCH	1							
16	2	121575-91250	SWITCH W/KEY	1							
17	2	123482-91291	KEY, SWITCH	1							
18	2	127692-91350	BUZZER	1							
19	2	129574-91800	SWITCH ASSY	1							
20	2	129574-91780	CAP, RUBBER	2							
21	2	129574-91790	SWITCH	1							
22	2	129574-91890	WIRE	1							
23	2	129470-91190	STOPPER	1							
24	2	129574-91930	PANEL	1							
25	2	129574-91620	COVER	1							
26	2	129574-91420	BRACKET	1							
27	2	129574-91720	GASKET	1							
28	2	129574-91630	COVER	4							
29	2	129574-91430	BRACKET	4							
30	2	129574-91730	GASKET	4							
31	2	129574-91640	COVER	1							
32	2	129574-91440	BRACKET	1							
33	2	129574-91740	GASKET	1							
34	2	129170-91610	COVER	1							
35	2	129574-91710	GASKET	1							
36	2	129574-91750	GASKET	1							
37	2	129574-91770	KNOB, SWITCH	2							
38	2	129574-91600	COVER	2							
39	2	129574-91650	COVER	1							
40	2	127692-91410	SCREW	27							
41	2	127692-91440	SCREW	4							
42	2	127692-91450	SCREW	2							
43	2	127692-91850	HARNESS, WIRE	1							
44	3	46150-003620	FUSE	1							
45	2	127687-91880	WASHER	6							
46	2	127687-91870	BOLT 6X 35	6							
47	2	127692-91221	METER	1							
48	2	129574-91760	COVER, BLIND	1							

Fig.40.INSTRUMENT PANEL(4LH-WSTZAY)





40.INSTRUMENT PANEL(4LH-WSTZAY)

(A)=4LH-WST
(B)=4LH-WSTZAY
(C)=

(D)=
(E)=
(F)=


REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	119189-91190	PANEL ASSY, INSTRUM		1						
2	2	127692-91200	METER,TACH-HOUR(P129		1						
3	2	129574-91870	WIRE		4						
4	2	127620-91660	BULB		7						
5	2	127692-91210	METER		1						
6	2	127687-91880	WASHER		6						
7	2	127687-91870	BOLT 6X.35		6						
8	2	119189-91260	BOX ASSY, LAMP		1						
9	2	119183-91860	WIRE		1						
10	2	129574-91240	CLOCK		1						
11	2	127620-91250	CELL		1						
12	2	129574-91490	HOLDER		1						
13	2	129574-91880	WIRE		1						
14	2	127687-91760	BULB		1						
15	2	129574-91410	BRACKET, SWITCH		1						
16	2	121575-91250	SWITCH W/KEY		1						
17	2	123482-91291	KEY, SWITCH		1						
18	2	127692-91350	BUZZER		1						
19	2	129574-91800	SWITCH ASSY		1						
20	2	129574-91780	CAP, RUBBER		3						
21	2	129574-91790	SWITCH		1						
22	2	127692-91320	GAUGE, FUEL		1						
23	2	129470-91190	STOPPER		1						
24	2	129574-91930	PANEL		1						
25	2	129574-91620	COVER		1						
26	2	129574-91420	BRACKET		1						
27	2	129574-91720	GASKET		1						
28	2	129574-91630	COVER		4						
29	2	129574-91430	BRACKET		4						
30	2	129574-91730	GASKET		4						
31	2	129574-91640	COVER		1						
32	2	129574-91440	BRACKET		1						
33	2	129574-91740	GASKET		1						
34	2	129574-91610	COVER		1						
35	2	129574-91710	GASKET		1						
36	2	129574-91750	GASKET		1						
37	2	129574-91770	KNOB, SWITCH		3						
38	2	129574-91600	COVER		1						
39	2	129574-91650	COVER		1						
40	2	127692-91410	SCREW		27						
41	2	127692-91440	SCREW		4						
42	2	127692-91450	SCREW		2						
43	2	119183-91850	HARNESS, WIRE		1						
44	3	46150-003620	FUSE		1						
45	2	127692-91330	TILT METER		1						
46	2	129574-91810	SWITCH, TILT		1						
47	2	119189-91270	ALARM CIRCUIT UNIT		1						
48	2	129574-91890	WIRE		1						
49	2	129574-91760	COVER, BLIND		1						

Fig.41.TOOL




41.TOOL

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	719195-92500	TOOL ASSY, STD	1	1						
2	2	104200-92350	DRIVER, SCREW	1	1						
3	2	104200-92600	BOX, TOOL	1	1						
4	2	28110-080100	WRENCH 8X10	1	1						
5	2	28110-100130	WRENCH 10X13	1	1						
6	2	28110-120140	WRENCH 12X14	1	1						
7	2	28110-170190	WRENCH 17X19	1	1						
8	1	177040-09050	WRENCH, EMERGENCY		1						





				(A)=4LH-WST (B)=4LH-WSTZAY (C)=	(D)= (E)= (F)=				
REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY					
				(A)	(B)	(C)	(D)	(E)	(F)
1	1	719195-92510	TOOLASSY, OPTIONAL	1	1				
2	2	104200-92350	DRIVER, SCREW	1	1				
3	2	133615-92350	WRENCH	1	1				
4	2	122210-92601	BOX, SPARESTOOLS	1	1				
5	2	28110-080100	WRENCH 8X10	1	1				
6	2	28110-100130	WRENCH 10X13	1	1				
7	2	28110-120140	WRENCH 12X14	1	1				
8	2	28110-170190	WRENCH 17X19	1	1				
9	2	28110-220240	WRENCH 22X24	1	1				
10	2	28110-270300	WRENCH 27X30	1	1				
11	2	28160-220240	OFFSET WRENCH	1	1				
12	2	28312-200750	THICKNESS GAUGE	1	1				
13	2	28312-250750	THICKNESS GAUGE	1	1				
14	2	28312-300750	THICKNESS GAUGE	1	1				
15	2	28312-350750	THICKNESS GAUGE	1	1				
16	2	28312-400750	THICKNESS GAUGE	1	1				
17	2	28322-020000	RING, GAUGE	1	1				
18	1	177040-09050	WRENCH, EMERGENCY	1					



(D)=
(E)=
(F)=


REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	729499-92100	TOOL KIT	1	1						
2	2	177040-09050	WRENCH, EMERGENCY	1	1						
3	2	189010-92020	PLIER	1	1						
4	2	104200-92350	DRIVER, SCREW	1	1						
5	2	104200-92600	BOX, TOOL	1	1						
6	2	28110-100130	WRENCH 10X13	1	1						
7	2	28110-120140	WRENCH 12X14	1	1						
8	2	28110-170190	WRENCH 17X19	1	1						
9	2	28110-220240	WRENCH 22X24	1	1						
10	2	28150-050000	BAR WRENCH	1	1						
11	2	28150-060000	BAR WRENCH 6	1	1						



(D)=
(E)=
(F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	QTY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	977780-02411	PUMP,BILGE (24V	1							
2	2	X0318121011	MOTOR ASSY(BILG PUMP								
3	2	X158606402X	SMITH	1							
4	3	X8636008003	FUSE	1							
5	2	X179100022X	STRAINER	1							
6	2	X179100100X	PIPE ASSY	1							
7	2	X0044021509	HOSE A	1							
8	2	X199906101X	SCREW SET	1							
9	2	977780-03000	INPELLER	1							

Fig.45.FRONT DRIVING DEVICE(OPTIONAL)




45.FRONT DRIVING DEVICE(OPTIONAL)

(A)=4LH-WST
(B)=4LH-WSTZAY
(C)=

(D)=
(E)=
(F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	124611-28510	BOLT M10X 30	6							
2	1	145610-54431	WASHER	1							
3	1	119192-89110	MOUNT	1							
4	1	119192-89121	GASKET, HOUSING	1							
5	1	124411-89160	HOUSING, OIL SEAL	1							
6	1	119192-89210	SHAFT	1							
7	1	22512-100260	KEY, 10X26	1							
8	1	24151-222080	ROLLER BEARING	1							
9	1	24430-405806	SEAL VC40 58 06, OIL	1							
10	1	24430-456006	SEAL VC45 60 06, OIL	1							
11	1	24754-320020	CUP 32X1/4, GREASE	1							
12	1	26106-080162	BOLT M 8X 16 PLATED	4							
13	1	26106-100252	BOLT M10X 25 PLATED	8							
14	1	26776-300002	LOCK NUT M30 PLATED	1							

Fig.46.FPTO ELECTTON CLUTCH(BF500/OPTIONAL)




46.FPTO ELECTTON CLUTCH(BF500/OPTIONAL)

(A)=4LH-WST
(B)=4LH-WSTZAY
(C)=
(D)=
(E)=
(F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	119194-89500	FPTO CMP(BF500	1	1						
2	2	X32M11218	COVER	1	1						
3	2	119194-89750	BOLT M10X30	8	8						
4	2	X32M11097	COVER (BEARING	1	1						
5	2	119194-89760	BOLT M10X30	8	8						
6	2	X48M10346	JOINT	1	1						
7	2	119194-89770	BOLT M10X35	6	6						
8	2	119194-89780	ELASTICITY GOM.JOINT	1	1						
9	2	119194-89790	BOLT M16X55	8	8						
10	2	X48M10306	BOSE	1	1						
11	2	X32M11100	SHAFT	1	1						
12	2	119194-89830	KEY 12X8X47	1	1						
13	2	X4AM10025	PLATE	1	1						
14	2	119194-89810	BOLT M10X25	1	1						
15	2	119194-89860	BRG 6209-NK	1	1						
16	2	119194-89870	BRG 5200	1	1						
17	2	X42M11083	COLLAR (BEARING	1	1						
18	2	X42M11063	PRESS (BEARING	1	1						
19	2	119194-89880	SETSCREW	1	1						
20	2	119194-89890	GREASE NIPPLE PT1/8	1	1						

Fig.47.FPTO ELECTTON CLUTCH(BF501/OPTIONAL)

1 inc. 2~25




47.FPTO ELECTTON CLUTCH(BF501/OPTIONAL)

(A)=4LH-WST
(B)=4LH-WSTZAY
(C)=
(D)=
(E)=
(F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	119194-89510	FPTO CMP(BF501	1	1						
2	2	XF972600020	CASE	1	1						
3	2	XF976960050	FLANGE (SHAFT	1	1						
4	2	XF825500060	COVER (END	1	1						
5	2	XF975300010	ADAPTOR	1	1						
6	2	XF975560020	COLLAR	1	1						
7	2	XF978160010	RING	1	1						
8	2	XF815300320	ADAPTOR (CLUTCH	1	1						
9	2	XV12301009	BOLT M10X25	6	6						
10	2	XV12301008	BOLT M10X30	8	8						
11	2	XV14201010	SPRING WASHER	8	8						
12	2	XV12300802	BOLT M8X25	6	6						
13	2	XV14200810	SPRING WASHER	6	6						
14	2	XV12300802	BOLT M8X25	6	6						
15	2	XV14200810	SPRING WASHER	6	6						
16	2	XV13201100	NUT (BEARING	1	1						
17	2	XV14401100	WASHER (BEARING	1	1						
18	2	XV12301014	BOLT M10X60	1	1						
19	2	XY35900026	CUP RING CF-50-Q/S	1	1						
20	2	XV12301601	BOLT M16X50	4	4						
21	2	XV12301601	BOLT M16X50	4	4						
22	2	XY21100008	BEARING	1	1						
23	2	XF815500028	COVER (PILOT	1	1						
24	2	XV12101407	BOLT M14X35	1	1						
25	2	XV17106011	KEY 12X8X50	1	1						

Fig.48.FPTO ELECTTON CLUTCH(BF502/OPTIONAL)

1 inc. 2~22




48.FPTO ELECTTON CLUTCH(BF502/OPTIONAL)

(A)=4LH-WST
(B)=4LH-WSTZAY
(C)=
(D)=
(E)=
(F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	119194-89520	FPTO CMP(BF502	1	1						
2	2	XF972600020	CASE	1	1						
3	2	XF976960050	FLANGE (SHAFT	1	1						
4	2	XF825500060	COVER (END	1	1						
5	2	XF975300010	ADAPTOR	1	1						
6	2	XF975560020	COLLAR	1	1						
7	2	XF978160010	RING	1	1						
8	2	XF815300320	ADAPTOR (CLUTCH	1	1						
9	2	XV12301009	BOLT M10X25	6	6						
10	2	XV12301008	BOLT M10X30	8	8						
11	2	XV14201010	SPRING WASHER	8	8						
12	2	XV12300802	BOLT M8X25	6	6						
13	2	XV14200810	SPRING WASHER	6	6						
14	2	XV12300802	BOLT M8X25	6	6						
15	2	XV14200810	SPRING WASHER	6	6						
16	2	XV13201100	NUT (BEARING	1	1						
17	2	XV14401100	WASHER (BEARING	1	1						
18	2	XV12301014	BOLT M10X60	6	6						
19	2	XY35900026	CUP RING CF-50-Q/S	1	1						
20	2	XV12301601	BOLT M16X50	4	4						
21	2	XY71100240	BOLT M10X30	4	4						
22	2	XY21100080	BEARING	1	1						

Fig.49.FPTO ELECTTON CLUTCH(CF500/OPTIONAL)

1 inc. 2~33





49.FPTO ELECTTON CLUTCH(CF500/OPTIONAL)

(A)=4LH-WST
(B)=4LH-WSTZAY
(C)=
(D)=
(E)=
(F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	119194-89700	FPTO CMP(CF500	1	1						
2	2	X32M11243A	COVER	1	1						
3	2	119194-89750	BOLT M10X30	8	8						
4	2	X32M11097	COVER (BEARING	1	1						
5	2	119194-89760	BOLT M10X30	8	8						
6	2	X48M10346	JOINT	1	1						
7	2	119194-89770	BOLT M10X35	6	6						
8	2	119194-89780	ELASTICITY GOM.JOINT	1	1						
9	2	119194-89790	BOLT M16X55	8	8						
10	2	X34M11719	PULLEY	1	1						
11	2	119194-89800	BOLT M8X30	8	8						
12	2	X32M11244	BOSE	1	1						
13	2	X48M10002A	ARMATURE ASSY	1	1						
14	2	119194-89810	BOLT M10X25	8	8						
15	2	X38M10005A	ROTOR	1	1						
16	2	119194-89820	BOLT M8X18	6	6						
17	2	X42M11066A	BOSE (ROTOR	1	1						
18	2	X38M10004	COIL, FIELD	1	1						
19	2	119194-89820	BOLT M8X18	6	6						
20	2	X32M11245	SHAFT	1	1						
21	2	119194-89830	KEY 12X8X47	1	1						
22	2	X44M10025	PLATE	1	1						
23	2	119194-89810	BOLT M10X25	1	1						
24	2	119194-89840	BRG 6200-2NK	2	2						
25	2	119194-89850	SNAP RING	1	1						
26	2	X42M11072	COLLAR (BEARING	1	1						
27	2	X48M10137	COLLAR (GAP	1	1						
28	2	119194-89860	BRG 6209-NK	1	1						
29	2	119194-89870	BRG 5200	1	1						
30	2	X42M11083	COLLAR (BEARING	1	1						
31	2	X42M11063	PRESS (BEARING	1	1						
32	2	119194-89880	SETSCREW	1	1						
33	2	119194-89890	GREASE NIPPLE PT1/8	1	1						


Fig.50.FPTO ELECTTON CLUTCH(CF501/OPTIONAL)



50.FPTO ELECTTON CLUTCH(CF501/OPTIONAL)

(A)=4LH-WST
(B)=4LH-WSTZAY
(C)=
(D)=
(E)=
(F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	119194-89710	FPTO CMP/CF501	1	1						
2	2	XW212133010	ARMATURE ASY	1	1						
3	2	XW214700320	ROTOR ASY	1	1						
4	2	XW213361260	FIELD ASY	1	1						
5	2	XW216860110	PLATE (PRESSURE	1	1						
6	2	XW216860040	PLATE (INNER	1	1						
7	2	XF812600320	CASE	1	1						
8	2	XF816630210	HOUSING	1	1						
9	2	XF816960400	FLANGE (SHAFT	1	1						
10	2	XF816720250	HUB ROTOR	1	1						
11	2	XF815300300	ADAPTOR FIELD	1	1						
12	2	XF816960410	FLANGE (INPUT	1	1						
13	2	XF815300310	ADAPTOR (ARMATURE	1	1						
14	2	XF818160430	RING	1	1						
15	2	XF815560640	COLLAR (ARMATURE	1	1						
16	2	XF815560650	COLLAR (BEARING A	1	1						
17	2	XF815560660	COLLAR (BEARING B	1	1						
18	2	XF815300320	ADAPTOR (CLUTCH	1	1						
19	2	XF815500350	COVER (PILOT	1	1						
20	2	XV21130811	BRG 6308-2NK	2	2						
21	2	XV21130715	BRG 6307-2NK	2	2						
22	2	XV16109010	SNAP RING R-90	1	1						
23	2	XV12101002	BOLT M10X30	8	8						
24	2	XV14200810	SPRING WASHER	8	8						
25	2	XV12300806	BOLT M8X25	6	6						
26	2	XV14200810	SPRING WASHER	6	6						
27	2	XY12300003	BOLT M8X14	6	6						
28	2	XV14200810	SPRING WASHER	6	6						
29	2	XV12101013	BOLT M10X20	8	8						
30	2	XV14201010	SPRING WASHER	8	8						
31	2	XV12301009	BOLT M10X25	6	6						
32	2	XV12300806	BOLT M8X25	8	8						
33	2	XV12101002	BOLT M10X30	1	1						
34	2	XV14201010	SPRING WASHER	1	1						
35	2	XV12101012	BOLT M10X35	6	6						
36	2	XY35900026	CUP RING CF-50-O/S	1	1						
37	2	XY71100240	BOLT M10X30	4	4						
38	2	XV17105008	KEY 10X8X40	1	1						
39	2	XY71002400	SLEEVE BOLT	4	4						
40	2	XV12101601	BOLT M16X50	4	4						



警告表示（ラベル）部品コード番号

No.	部品番号
1	128296-07350
2	128296-07260
3	128296-07300

安全銘板の張付け位置は、取扱説明書をご参照下さい。

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	128296-07350	LABEL	1	1						
2	1	128296-07260	LABEL,DANGER	1	1						
3	1	128296-07300	LABEL,DANGER	1	1						