




Spare parts catalog- Yanmar engines

(A) = 6CXM-GTE
(B) = 6CXM-GTE2

Fig.1.CYLINDER BLOCK




Remarks
(1)SELECTIVE PART:
CERTAIN THE CLASSIFICATION MARK
(A-H),THEN APPLICABILITY
PARTS NUMBER PLACE YOUR ORDER.
(2)ADJUSTMENT
(3)STANDARD

(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	727695-01560	BLOCK ASSY, CYLINDER	1	1						
3A	2	127692-01210	LINER, CYLINDER	6	6						1
3B	2	127692-01220	LINER, CYLINDER	6	6						1
3C	2	127692-01230	LINER, CYLINDER	6	6						1
4	2	127610-01691	CONNECTOR	1	1						
5	2	144626-11970	PLUG	2	2						
6	2	127610-44900	PLUG	2	2						
7	2	119620-49290	COCK ASSY 1/4	1	1						
8	2	22312-100200	PARALLEL PIN 10X20	2	2						
9	2	22351-060016	SPRING PIN 6X16	2	2						
10	2	22351-080016	SPRING PIN 8X16	4	4						
11	2	23414-120016	GASKET 12	1	1						
12	2	23414-250031	GASKET 25	2	2						
13	2	23414-360000	GASKET 36	2	2						
14	2	23887-120002	PLUG 12,HEX.	1	1						
15	2	24311-000240	O-RING 1A P-24.0	1	1						
16	2	26216-080452	STUD M 8X 45 PLATED	6	6						
17	2	26212-080502	STUD 8X 50	1	1						
18	2	26657-080002	CAP NUT M 8	6	6						
19	2	27241-180000	PLUG 18	1	1						
20	2	27241-300000	PLUG 30	2	2						
21	2	27241-300000	PLUG 30	2	2						
22	2	27241-350000	PLUG 35	2	2						
23	2	27241-350000	PLUG 35	2	2						
24	2	27241-350000	PLUG 35	2	2						
25	2	27241-350000	PLUG 35	1	1						
26	2	27241-500000	PLUG 50	1	1						
27	2	22190-080003	SEAL WASER 8	6	6						
28	2	26366-080002	NUT M 8	1	1						
29	2	22312-100160	PARALLEL PIN 10X16	2	2						
30	2	22312-100160	PARALLEL PIN 10X16	2	2						
34	2	127695-02070	BOLT	14	14						
35	2	127695-02090	MAIN METAL CMP	7	7						
38	2	127695-02150	THRUST METAL	4	4						
39	2	22312-040080	PIN 4X8,STRAIGHT	4	4						
40	2	127695-02400	BUSH	1	1						
41	2	127695-02420	BUSH	6	6						
42	2	22353-040010	SPRING PIN 4X10	6	6						
43	2	23876-010000	PLUG PT1/8,SCREW	1	1						
44	2	22137-080000	WASHER 8, POLISHED	6	6						
45	2	22190-100003	SEAL WASER 10	6	6						
46	1	127610-01402	COVER	1	1						
47	1	127675-01410	GASKET, SIDE COVER	2	2						
48	1	127692-01450	COVER B CMP	1	1						
50	2	127610-03220	JOINT, PIPE	1	1						
51	2	127610-03050	WOOL, STEEL	1	1						
52	2	127610-03060	SHIELD, OIL	1	1						
53	2	127695-03090	BAFFLE	1	1						
54	2	127610-03150	SPACER	2	2						
55	2	26106-080142	BOLT M 8X 14 PLATED	1	1						
56	2	26106-080162	BOLT M 8X 16 PLATED	2	2						
57	2	26106-080222	BOLT M 8X 22 PLATED	1	1						
58	2	22131-080000	WASHER 8	1	1						
59	1	127610-01751	COVER (A)	2	2						

++ CONTINUE ++

Fig.1.CYLINDER BLOCK



(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=


REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
60	1	127675-01790	PACKING,COVER	2	2						
61	1	127610-01770	COVER (B)	1	1						
62	1	127675-01800	PACKING,COVER	1	1						
63	1	727610-01800	COVER ASSY (A)	2	2						
65	2	127610-01841	O-RING (A)	2	2						
66	1	727610-01810	COVER ASSY (B)	1	1						
68	2	127610-01851	O-RING (B)	1	1						
69	1	24311-000320	O-RING 1A P-32.0	1	1						
70	1	26106-080222	BOLT M 8X 22 PLATED	29	29						
71	1	26106-080222	BOLT M 8X 22 PLATED	20	20						
72	1	26106-080252	BOLT M 8X 25 PLATED	8	8						
73	1	42215-559130	JOINT	1	1						
74	1	127610-02160	PLATE, THRUST	1	1						
75	1	26013-080182	BOLT M 8X 18	2	2						
76	1	124160-39140	BOLT 10, PIPE JOINT	6	6						
77	1	127610-39370	WASHER	6	6						
78	1	127692-39420	NOZZLE	6	6						
80	2	26911-050052	SCREW M 5X 5	6	6						
81	1	127695-01340	GASKET, CYL. HEAD	2	2						2
82	1	127695-01350	GASKET, CYL. HEAD	2	2						3
83	1	127695-01360	GASKET, CYL. HEAD	2	2						2
84	1	23297-250081	RETAINER 25X 8	1	1						
85	1	124160-01751	CAP, LUB.OIL SUPPLY	1	1						
86	1	127672-03090	HOSE,BREATHER	1	1						
87	1	23000-035000	CLAMP 35	4	4						
88	1	26106-080142	BOLT M 8X 14 PLATED	1	1						
89	1	26366-080002	NUT M 8	2	2						
90	1	127672-03110	PIPE , BREATHER	1	1						
91	1	122780-03260	CONNECTOR	1	1						
92	1	119575-59300	PROTECTOR (FOT	1	1						
93	1	26226-080182	STUD M 8X 18 PLATED	2	2						
94	1	26366-080002	NUT M 8	2	2						
95	1	127695-02250	MAIN METAL U.25	7	7						
98	1	127695-02270	THRUST METAL	2	2						
100	1	127695-02260	MAIN METAL U.0.5	7	7						
103	1	127695-02280	THRUST METAL	2	2						
105	1	121750-59890	CLAMP 140	2	2						

Remarks
(1)SELECTIVE PART:
CERTAIN THE CLASSIFICATION MARK
(A-H),THEN APPLICABILITY
PARTS NUMBER PLACE YOUR ORDER.
(2)ADJUSTMENT
(3)STANDARD

Fig.2.GEAR HOUSING

(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=


Fig.2 ギヤケース
GEAR HOUSING



REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	727695-01610	HOUSING ASSY, GEARS	1	1						
3	2	22312-100220	PARALLEL PIN 10X22	2	2						
4	2	127605-54040	BOLT	6	6						
5	2	26366-100002	NUT M10	6	6						
6	2	22212-100000	SPRING WASHER 10	6	6						
7	1	127675-01550	GASKET	1	1						
8	1	727695-01620	COVER ASSY,GEAR CASE	1	1						
10	2	124450-01800	OIL SEAL HTC588012	1	1						
11	2	22212-080000	SPRING WASHER 8	4	4						
12	2	26226-080182	STUD M 8X 18 PLATED	4	4						
13	2	26366-080002	NUT M 8	4	4						
14	1	127675-01560	PACKING	1	1						
15	1	127695-01581	BOLT	1	1						
16	1	127695-01770	BOLT	1	1						
17	1	127610-01950	CASE, BEARING	1	1						
18	1	127675-01890	GASKET, BEARING CASE	1	1						
19	1	129795-42820	OIL SEAL	1	1						
20	1	22190-080003	SEAL WASER 8	2	2						
21	1	26013-060122	BOLT M 6X 12	2	2						
22	1	22127-080000	WASHER 8	2	2						
23	1	26106-080182	BOLT M 8X 18 PLATED	5	5						
24	1	26106-080222	BOLT M 8X 22 PLATED	5	5						
25	1	26656-080002	DOMED CAP NUT (M8)	2	2						
26	1	26106-080302	BOLT M 8X 30 PLATED	7	7						
27	1	26106-080402	BOLT M 8X 40 PLATED	4	4						
28	1	26106-080552	BOLT M 8X 55 PLATED	2	2						
29	1	26106-080752	BOLT M 8X 75 PLATED	5	5						
30	1	26106-080852	BOLT M 8X 85 PLATED	1	1						
31	1	127675-03240	GASKET	1	1						
32	1	26106-080252	BOLT M 8X 25 PLATED	4	4						
33	1	127610-03050	WOOL, STEEL	1	1						
34	1	127695-03202	BREATHER	1	1						
35	1	127695-03221	BAFFLE	1	1						
36	1	22312-100160	PARALLEL PIN 10X16	2	2						

Fig.3.FLYWHEEL HOUSING

Fig.3 フライホイールハウジング
FLYWHEEL HOUSING




(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	727695-01660	HOUSING ASSY, WHEEL	1	1						
4	3	23414-180000	GASKET 18, ROUND	1	1						
5	3	23887-180002	PLUG 18	1	1						
7	2	127687-01670	COVER L=270	1	1						
8	2	26106-100142	BOLT M10X 14 PLATED	2	2						
9	2	22312-100160	PARALLEL PIN 10X16	4	4						
10	1	127610-01652	CASE, OIL SEAL	1	1						
11	1	127675-01680	GASKET	1	1						
12	1	127692-01781	SEAL HTCK10513511	1	1						
13	1	22137-100000	WASHER 10,POLISHED	5	5						
14	1	22212-100000	SPRING WASHER 10	5	5						
15	1	24321-001450	O-RING 1A G-145.0	1	1						
16	1	26014-100402	BOLT M10X40	12	12						
17	1	26014-100452	BOLT M10X45	3	3						
18	1	26106-080182	BOLT M 8X 18 PLATED	7	7						
19	1	26116-100602	BOLT M10X 60 PLATED	5	5						

Fig.4.LUB.OIL SUMP

Fig.4 オイルパン
LUB.OIL SUMP




(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	727675-01541	PAN, LUB OIL	1	1						
2	2	144626-01651	GASKET, (NON-ASB.)	3	3						
4	2	127610-01720	COVER	2	2						
5	2	26106-100302	BOLT M10X 30 PLATED	6	6						
6	2	127610-89340	FLANGE	1	1						
7	2	135410-01780	PLUG M30	1	1						
8	2	23414-300000	GASKET 30,ROUND	1	1						
9	1	22217-080000	SPRING WASHER 8	5	5						
10	1	26014-080452	BOLT M 8X 45	6	6						
11	1	26106-080302	BOLT M 8X 30 PLATED	18	18						
12	1	26116-080802	BOLT M 8X 80 PLATED	3	3						
13	1	26116-081052	BOLT M 8X105 PLATED	3	3						
14	1	127675-01730	GASKET	1	1						
15	1	127675-34050	DIPSTICK, LUB. OIL	2	2						
16	1	22133-080000	WASHER 8	5	5						

Fig.5.LUB.OIL SUMP(OPTIONAL)

Fig.5 オイルパン (オプション)
LUB.OIL SUMP (OPTIONAL)




▲
見出しNo. 1は、見出しNo. (1) から16を含みます。
1 inc. (1) ~ 16

(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=


REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	727675-01450	OIL PAN ASSY	1	1						
3	3	144626-01651	GASKET, (NON-ASB.)	1	1						
6	3	127610-01720	COVER	1	1						
7	3	26106-100282	BOLT M10X 28 PLATED	2	2						
8	2	127675-01720	PLATE, OIL PAN	1	1						
9	2	127695-01740	PACKING	1	1						
10	2	127675-01760	BOLT M8	32	32						
11	2	127675-39300	PIPE	1	1						
14	2	144626-01651	GASKET, (NON-ASB.)	1	1						
15	2	127610-89340	FLANGE	1	1						
16	2	26106-100302	BOLT M10X 30 PLATED	2	2						
17	1	26106-080402	BOLT M 8X 40 PLATED	1	1						
18	1	26106-081152	BOLT M 8X115 PLATED	2	2						
19	1	127675-01730	GASKET	1	1						
20	1	26014-080452	BOLT M 8X 45	8	8						
21	1	26106-080252	BOLT M 8X 25 PLATED	19	19						
22	1	123472-82580	CAP	1	1						

Fig.6.MOUNTING FOOT

Fig.6 マウンティングフット
MOUNTING FOOT



オプション
OPTIONAL




Remarks
(1)OPTIONAL

(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	127675-01060	BRACKET A	1	1						
2	1	127675-01070	BRACKET B	1	1						
3	1	127675-01080	BRACKET C	2	2						
4	1	120130-01091	PIN	2	2						
5	1	22212-120000	SPRING WASHER 12	14	14						
6	1	26116-121502	BOLT M12X150 PLATED	4	4						
7	1	26116-120652	BOLT M12X 65 PLATED	8	8						
8	1	26116-120702	BOLT M12X 70 PLATED	2	2						
9	1	22217-270000	SPRING WASHER 27	6	6						1
10	1	26776-270002	LOCK NUT M27 PLATED	18	18						1
11	1	127495-08370	PLATE	2	2						1
12	1	127495-08380	PLATE	2	2						1
13	1	127495-08320	MAUNT,RUBBER	4	4						1
14	1	127495-08340	MAUNT,RUBBER	2	2						1
15	1	127675-08400	BOLT	6	6						1
16	1	22137-270000	WASHER 27	12	12						1
17	1	22312-100160	PARALLEL PIN 10X16	6	6						

Fig.7.LABEL




(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	42220-008610	LABEL	1	1						
2	1	127611-07100	LABEL	1	1						
3	1	127692-07120	LABEL	1	1						
4	1	124210-07190	SCREW	6	6						
5	1	127692-07250	LABEL	1	1						
6	1	127410-07300	LABEL	1	1						
7	1	127692-07240	LABEL, LIFTER	1	1						
8	1	123682-07851	LABEL, CW. TANK	1	1						
9	1	102210-07990	RIVET	8	8						
10	1	124220-09340	LABEL	12	12						
11	1	22117-060000	WASHER 6	2	2						
12	1	26013-060122	BOLT M 6X 12	2	2						
13	1	127695-07361	LABELL	1	1						
14	1	128171-07150	LABEL	1	1						
15	1	128296-07260	LABEL,DANGER	1	1						
16	1	128296-07300	LABEL,DANGER	1	1						
17	1	128296-07360	LABEL, CAUTION	1	1						
18	1	196630-12980	LABEL	1	1						
19	1	128296-07190	LABEL,LOOSE PARTS	1	1						
20	2	128296-07400	LABEL,DANGER	2	2						
21	2	128296-07420	LABEL,DANGER	1	1						
22	2	128296-07450	LABEL,DANGER	1	1						
23	2	128296-07460	LABEL,DANGER	1	1						
24	1	105582-07061	LABEL	1	1						

Fig.8.CYLINDER HEAD

Fig.8 シリンダヘッド
CYLINDER HEAD




(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	727692-11700	HEAD ASSY, CYLINDER	2							
1A	1	727672-11700	HEAD ASSY, CYLINDER		2						
4	3	127695-11080	SEAT, VALVE	12	12						
5	3	127695-11090	SEAT, VALVE	12	12						
6	3	127616-11160	GUIDE, SUC.VALVE	12	12						
7	3	127616-11170	GUIDE, EXH.VALVE	12	12						
8	3	127616-11530	GUIDE, BRIDGE	12	12						
9	3	127692-11850	SLEEVE	6	6						
10	3	127692-11861	GASKET	6	6						
11	2	122710-11240	LOCK NUT	6	6						
12	2	23876-005000	PLUG PT 1/16,SCREW	2	2						
13	2	23876-020000	PLUG 1/4	6	6						
14	2	23876-040000	PLUG PT 1/2	12	12						
15	2	24321-000250	O-RING 1A G-25.0	12	12						
16	2	27241-220000	PLUG 22	6	6						
17	2	27241-280000	PLUG 28	4	4						
18	2	27241-400000	PLUG 40	4	4						
19	2	127695-11100	VALVE, SUCTION	12	12						
20	2	127695-11110	VALVE, EXHAUST	12							
20A	2	127672-11110	VALVE, EXHAUST		12						
21	2	127616-11120	SPRING, VALVE	24	24						
22	2	127616-11180	RETAINER, SPRING	24	24						
23	2	27310-080001	COTTER 8	24	24						
24	2	127616-11280	SEAL, VALVE STEM	24	24						
25	2	127616-11770	STUD	6	6						
26	2	127616-11780	STUD	6	6						
27	2	127616-11790	JOINT	2	2						
28	2	127616-11920	WASHER	6	6						
29	2	26366-080002	NUT M 8	6	6						
30	2	22190-080002	SEAL WASHER 8S	2	2						
31	1	127695-01200	STUD, CYL. HEAD	28	28						
32	1	127692-11920	PROTECTOR	6	6						
33	1	127692-11930	GASKET	6	6						
34	1	127616-11900	FLANGE	6	6						
35	1	24321-000250	O-RING 1A G-25.0	6	6						
36	1	727695-11501	SHAFT, ROCKER ARM	2	2						
37	2	127695-11650		2	2						
40	2	127695-11260	BRACKET	6	6						
41	2	128610-11280	SPRING	4	4						
42	2	22242-000200	CIRCLIP 20	4	4						
43	2	727695-11650	ARM ASSY, ROCKER	6	6						
47	3	127616-11230	SCREW, VALVE	6	6						
48	3	122710-11240	LOCK NUT	6	6						
49	2	727695-11660	ARM ASSY, ROCKER	6	6						
53	3	127616-11230	SCREW, VALVE	6	6						
54	3	122710-11240	LOCK NUT	6	6						
55	1	727692-11910	BRIDE ASSY,VALVE	12	12						
60	2	120320-11520	SCREW, VALVE	12	12						
61	2	26756-080002	LOCK NUT M 8 PLATED	12	12						
62	1	26106-080702	BOLT M 8X 70 PLATED	6	6						
63	1	124160-01751	CAP, LUB.OIL SUPPLY	2	2						
64	1	24311-000320	O-RING 1A P-32.0	2	2						
65	1	127695-11350	BONNET ASSY,HEAD	2	2						
67	2	127695-11310	GASKET, BONNET	2	2						

++ CONTINUE ++

Fig.8.CYLINDER HEAD


Fig.8 シリンダヘッド
CYLINDER HEAD



(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
68	2	127695-11320	BREATHER	2	2						
69	2	127610-11331	GASKET	2	2						
70	2	26106-060142	BOLT M 6X 14 PLATED	4	4						
71	1	124160-11360	KNOB	6	6						
72	1	23064-100750	PIPE 10X750	2	2						
73	1	24311-000120	O-RING 1A P 12.0	6	6						
74	1	127410-07921	LIFTER, ENGINE A	1	1						
75	1	127695-07930	LIFTER, ENGINE B	1	1						
76	1	26106-100182	BOLT M10X 18 PLATED	2	2						
77	1	26106-100282	BOLT M10X 28 PLATED	2	2						
78	1	127692-11910	PROTECTOR, NOZZLE	6	6						
79	1	124766-59050	CLAMP 12	2	2						

Fig. 9 吸気マニホールド
SUCTION MANIFOLD




Remarks
(1)OPTIONAL

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	127695-12100	MANIFOLD, AIR INTAKE	1	1						
2	1	127695-12120	GASKET	2	2						
3	1	23414-120016	GASKET 12	1	1						
4	1	23887-120002	PLUG 12,HEX.	1	1						
5	1	26106-080222	BOLT M 8X 22 PLATED	18	18						
6	1	23857-060000	JOINT BOLT 6	1	1						
7	1	127695-18131	AIR DUCT (A	1	1						
8	1	127672-18160	DUCT, AIR	1							
9	1	127695-18161	AIR DUCT C		1						
10	1	127695-18180	JOINT	1	1						
11	1	127695-18190	GASKET	2	2						
12	1	127695-18250	PIPE	1	1						
13	1	127695-18260	JOINT	1	1						
14	1	127695-18800	COVER	1	1						
15	1	123658-18910	CLAMP	2	2						
16	1	127687-18910	CLAMP	2	2						
17	1	23414-200000	GASKET 20, ROUND	2							
18	1	23876-010000	PLUG PT1/8,SCREW	2	2						
19	1	23887-200002	PLUG 20, HEX.	2							
20	1	26016-060122	BOLT M 6X 12	8							
I 20-1	1	26014-060142	BOLT M 6X 14	8	8						N
(A=E#70135)											
21	1	26106-060202	BOLT M 6X 20 PLATED	14	14						
22	1	26106-080452	BOLT M 8X 45 PLATED	2	2						
23	1	26106-080902	BOLT M 8X 90 PLATED	2	2						
24	1	26106-081102	BOLT M 8X110 PLATED	2	2						
25	1	127692-18451	PIPE, AIR	1	1						
29	1	127695-18490	JOINT	1	1						
30	1	129590-18520	JOINT 10, PIPE	1	1						
31	1	124160-39140	BOLT 10, PIPE JOINT	1	1						
32	1	23000-013000	CLAMP 13	2	2						
33	1	23297-080081	RETAINER 8X 8	1	1						
34	1	23414-100000	GASKET 10, ROUND	2	2						
35	1	23414-120000	GASKET 12, ROUND	2	2						
36	1	127695-18170	GASKET	2	2						
37	1	127672-77500	AIR HEATER		1						

Fig.10.EXHAUST MANIFOLD

Fig. 10 排気マニホールド
EXHAUST MANIFOLD




(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	727692-13500	MANIFOLD ASSY, EXH.	1	1						
2	2	727692-13100	MANIFOLD ASSY, EXH.	1	1						
4	3	126650-11760	GASKET 46	3	3						
5	3	126650-11750	PLUG	3	3						
6	2	119620-49290	COCK ASSY 1/4	1	1						
9	2	23414-100000	GASKET 10, ROUND	6	6						
10	2	23894-010002	PLUG PF1/8	6	6						
11	2	26223-100252	STUD M10X 25	6	6						
12	2	127675-44110	CORE ASSY, COOLER	1							
I 12-1	2	127675-44111	CORE ASSY, COOLER	1	1						N
(A=E/#70135)											
13	2	727695-44700	COVER(A) ASSY.	1	1						
15	3	27210-200370	ZINC, ANTI-CORROSIVE	2	2						
16	3	123210-09310	PACKING	2	2						
17	3	122780-09320	PLUG	2	2						
18	3	23414-250000	GASKET 25,ROUND	2	2						
19	2	128370-01800	COCK ASSY 1/4	1	1						
20	2	727695-44710	COVER (B)	1	1						
22	3	27210-200370	ZINC, ANTI-CORROSIVE	2	2						
23	3	123210-09310	PACKING	2	2						
24	3	122780-09320	PLUG	2	2						
25	3	23414-250000	GASKET 25,ROUND	2	2						
26	2	24311-001200	O-RING 1A P-120.0	2	2						
27	2	26106-100302	BOLT M10X 30 PLATED	8	8						
28	2	23887-240002	PLUG 24	1	1						
29	2	23414-240031	GASKET 24	1	1						
30	2	26713-100002	NUT, M10 (STENLES	6	6						
31	1	171108-55340	WASHER	12	12						
32	1	26206-101952	BOLT M10X195 PLATED	1	1						
33	1	26206-102152	BOLT M10X215	11	11						
34	1	123682-49590	JOINT, PIPE	1	1						
35	1	127695-13202	GASKET	6							
I 35-1	1	127695-13203	GASKET	6	6						N
(A=E/#70135)											

Fig.11.CAMSHAFT & DRIVING GEAR

Fig. 11 カムシャフト & 駆動ギヤ
CAMSHAFT & DRIVING GEAR




(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	127695-14010	CAMSHAFT	1	1						
2	1	127610-14100	GEAR, CAMSHAFT Z=43	1	1						
3	1	120130-14150	WASHER	1	1						
4	1	120130-14160	BOLT	1	1						
5	1	22512-070220	KEY 7X22,FEATHER	1	1						
6	1	127687-14200	TAPPET	12	12						
7	1	127695-14400	PUSH ROD	12	12						
8	1	127692-25092	GEAR, IDLE Z=57	1	1						
10	2	127692-25082	BUSH	1	1						
11	1	127692-25400	SHAFT, IDLE GEAR	1	1						
12	1	127695-25421	RETAINER	1	1						
13	1	127692-25911	BOLT	1	1						
14	1	26106-100602	BOLT M10X 60 PLATED	3	3						

Fig.12.TURBOCHARGER

P/C NEWS No:Y00R5061-2
PUBLISHED:2002/3

Fig. 12 タービン
TURBOCHARGER




Remarks
(1)OPTIONAL
(M)MISPRINT:REFER TO THE NEXT ITEM.

(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	127692-18021	TURBOCHARGER	1	1						
I	3	3	X3534908	HOUSING TURBINE	1	1					M
I	3-1	3	X3594667	HOUSING TURBINE	1	1					
4	3	3	X3530079	SHAFT & WHEEL	1	1					
I	5	3	X3531882	SHIELD, OIL	1	1					
6	3	3	X3535071	COVER	1	1					
7	3	3	X3504413	BALL BEARING	2	2					
I	8	3	X3591655	BEARING	1	1					M
I	8-1	3	X3532807	BEARING	1	1					
9	3	3	X3532814	PISTON-RING	2	2					
10	3	3	X3758848	PISTON-RING	1	1					
11	3	3	X3502231	SLINGER,OIL	1	1					
12	3	3	X3762915	O-RING	1	1					
13	3	3	X3528094	OIL DEFLECTER	1	1					
14	3	3	X3529162	THRUST COLLAR	1	1					
15	3	3	X3529846	HEAT SHIELD	1	1					
16	3	3	X3528096	INSERT	1	1					
17	3	3	X3533051	HOUSING, BEARING	1	1					
18	3	3	X3502017	PLATE	3	3					
19	3	3	X3523227	CLAMP PLATE	2	2					
20	3	3	X3518004	WASHER	8	8					
21	3	3	X3759526	SCREW	8	8					
22	3	3	X3759917	SCREW	6	6					
23	3	3	X3760250	LOCK NUT	1	1					
24	3	3	X3709753	CIRCLIP	4	4					
25	3	3	X3723863	RETAINING RING	1	1					
26	3	3	X3522597	SCREW	2	2					
27	2	2	127692-18850	SILENCER,AIR INTAKE	1	1					
28	3	3	127692-18880	FILTER	1	1					
29	2	2	26450-080222	BOLT M 8X 22	2	2					
30	2	2	26450-080222	BOLT M 8X 22	2	2					
31	2	2	123658-18910	CLAMP	1	1					
32	2	2	127695-18080	INSULATOR	1	1					
33	1	1	22113-100000	WASHER 10	8	8					
34	1	1	23414-170000	GASKET 17, ROUND	2	2					
35	1	1	23894-030002	PLUG G3/8,HEX.	2	2					
36	1	1	26713-100002	NUT, M10 (STENLES	4	4					
37	1	1	127695-18052	MOUNT, TURBO.	1	1					
39	2	2	127695-18072	LAGGING	1	1					
40	1	1	127695-18361	GASKET	1	1					
41	1	1	127692-18210	GASKET, TURBO.INLET	1	1					
42	1	1	26203-100602	BOLT M10X 60	1	1					
43	1	1	26213-100282	STUD M10X 28	4	4					
44	1	1	26713-100002	NUT, M10 (STENLES	4	4					
45	1	1	122410-77280	SHIM SET	1	1					
46	1	1	127675-18400	GASKET	1	1					
47	1	1	22113-100000	WASHER 10	6	6					
48	1	1	26703-100002	NUT M10	6	6					
49	1	1	45511-501670	SPACER	4	4					
50	1	1	127675-13500	ELBOW,WATER MIXING	1	1					1
51	1	1	127672-49290	CWS-TUBE(CFW,COOLER	1	1					1
52	1	1	23000-060000	CLAMP 60	2	2					1
53	1	1	123482-13450	STUD M 10X 25	6	6					

Fig.13.AIR COOLER

Fig. 13 インタークーラ
AIR COOLER




(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	127692-18200	MOUNT	1	1						
2	1	127695-18120	SUPPORT	1	1						
3	1	26106-080162	BOLT M 8X 16 PLATED	2	2						
4	1	127692-18100	INTERCOOLER	1							
I 4-1	1	127692-18101	INTERCOOLER	1							N
(A=E/#70179)											
4A	1	127672-18100	INTERCOOLER ASSY		1						
7	2	X4971101106	GASKET, TANK	2							
I 7-1	2	X5034102106	GASKET, TANK	2	2						S
(A=E/#70179)											
8	2	X5034101104	TANK	1							
I 8-1	2	X5034102104	TANK	1	1						S
(A=E/#70179)											
9	3	127692-09300	ZINC	6	6						
10	3	X4971101112	PLUG	6	6						
11	3	127692-09310	GASKET	6	6						
12	2	X5034101103	TANK	1							
I 12-1	2	X5034102103	TANK	1	1						S
(A=E/#70179)											
13	2	X4971101110	BOLT M6	2							
I 13-1	2	X5034102110	BOLT M8	2	2						S
(A=E/#70179)											
14	2	X4971101108	BOLT M6	22							
I 14-1	2	X5034102108	BOLT M8	22	22						S
(A=E/#70179)											
15	2	X4971101109	WASHER M6	24							
I 15-1	2	X5034102109	WASHER M8	24	24						S
(A=E/#70179)											
16	1	26106-080202	BOLT M 8X 20 PLATED	4	4						
17	1	26106-080202	BOLT M 8X 20 PLATED	2	2						
18	1	26226-080182	STUD M 8X 18 PLATED	4	4						
19	1	26366-080002	NUT M 8	4	4						

Fig.14.CRANKSHAFT & FLYWHEEL

Fig. 14 クランクシャフト&フライホイール
CRANKSHAFT & FLYWHEEL





(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	727692-21700	CRANKSHAFT ASSY	1	1						
4	3	127695-21200	GEAR,CRANKSHAFT Z=31	1	1						
5	3	127687-21220	GEAR,OIL PUMP Z=53	1	1						
6	3	22512-100200	KEY 10X 20	1	1						
8	2	22512-100452	KEY 10X 45	1	1						
9	2	127610-21460	PIN	1	1						
10	1	123672-21500	BOLT	1	1						
11	1	127695-21850	COUPLING	1	1						
12	1	123672-21861	WASHER	1	1						
13	1	127695-21390	FLYWHEEL W/RING GEAR	1	1						
15	2	127410-21480	RING GEAR Z=129	1	1						
16	1	127695-21500	BOLT	6	6						
17	1	127688-28010	DAMPER	1	1						
18	1	123672-81250	BOLT	6	6						
19	1	127695-01650	PLATE	1	1						
20	1	26106-100162	BOLT M10X 16 PLATED	5	5						
21	1	127610-01540	COVER	1	1						

Fig.15.PISTON & CONNECTING ROD

Fig. 15 ピストン&コネクティングロッド
PISTON & CONNECTING ROD





(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	727692-22720	PISTON W/RINGS	6	6						
3	2	127692-22100	RING SET, PISTON	6	6						
10	1	127695-22300	PIN, PISTON	6	6						
11	1	22252-000460	CIRCLIP 46	12	12						
12	1	727695-23700	ROD ASSY, CONNECTING	6							
12A	1	727672-23710	ROD ASSY, CONNECTING		6						
15	2	127695-23200	BOLT,CONNECTING ROD	12	12						
16	2	727695-23601	CRANK PIN METAL	6							
16A	2	727672-23600	CRANK PIN METAL		6						
18	1	127695-23350	CRANK PIN METAL 0.25	6							
18A	1	127672-23350	MAIN BEARING CMP		6						
20	1	127695-23360	CRANK PIN METAL 0.5	6							
20A	1	127672-23360	MAIN BEARING CMP		6						

Fig.16.LUB.OIL PUMP

Fig. 16 潤滑油ポンプ
LUB.OIL PUMP




Remarks
(1)OPTIONAL

(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	127695-32000	PUMP ASSY, LUB OIL	1	1						
2	2	122510-32210	WASHER	1	1						
3	2	127610-32300	VALVE ASSY.LO.PRESS.	1	1						
4	2	127695-32200	GEAR Z=65	1	1						
5	2	26736-140002	NUT M14	1	1						
6	2	22522-050160	KEY 5X16	1	1						
7	1	26013-100302	BOLT M10X 30	3	3						
8	1	26013-100502	BOLT M10X 50	1	1						
9	1	127675-35050	GASKET	1	1						
10	1	127675-35150	PIPE, OIL INLET	1	1						
14	1	26014-080202	BOLT M 8X 20	2	2						
15	1	127675-35010	PIPE, OIL INLET	1	1						1
19	1	127675-35050	GASKET	1	1						1
20	1	127675-35070	SUPPORT,PIPE,LUB. OI	1	1						1
21	1	26014-080202	BOLT M 8X 20	2	2						1
22	1	26106-080162	BOLT M 8X 16 PLATED	2	2						1

Fig.17.LUB.OIL COOLER & LUB.OIL STRAI

Fig. 17 潤滑油クーラ&潤滑油フィルタ
LUB.OIL COOLER & LUB.OIL STRAINER



Remarks
(1)OPTIONAL


(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	128610-33380	CONNECTOR	1	1						
2	1	127692-33500	LUB. OIL COOLER	1	1						
3	2	127688-33090	BODY, LUB.OIL COOLER	1	1						
5	3	23876-060000	PLUG PT 3/4	1	1						
6	2	727695-33510	COVER ASSY, COOLER	1	1						
8	3	27210-200370	ZINC, ANTI-CORROSIVE	1	1						
9	3	123210-09310	PACKING	1	1						
10	3	122780-09320	PLUG	1	1						
11	3	23414-250000	GASKET 25,ROUND	1	1						
12	2	727695-33500	COVER ASSY, COOLER	1	1						
14	3	27210-200370	ZINC, ANTI-CORROSIVE	1	1						
15	3	123210-09310	PACKING	1	1						
16	3	122780-09320	PLUG	1	1						
17	3	23414-250000	GASKET 25,ROUND	1	1						
18	3	127692-33190	CORE ASSY, COOLER	1	1						
25	2	24311-000900	O-RING 1A P-90.0	2	2						
26	2	24321-000350	O-RING 1A G-35.0	2	2						
27	2	26106-080302	BOLT M 8X 30 PLATED	8	8						
28	1	127695-33751	SUPPORT	1	1						
29	1	23414-240000	GASKET 24	1	1						
30	1	26106-080202	BOLT M 8X 20 PLATED	2	2						
31	1	26106-080222	BOLT M 8X 22 PLATED	4	4						
32	1	26216-080552	STUD M 8X 55 PLATED	1	1						
33	1	26366-080002	NUT M 8	1	1						
34	1	26756-080002	LOCK NUT M 8 PLATED	1	1						
35	1	127620-35100	STRAINER, LUB OIL	1	1						
36	2	123678-34030	VALVE, CONTROL	1	1						
37	2	135310-34030	REGULATING VALVE	1	1						
38	2	123672-34040	SPRING, CONT. VALVE	1	1						
39	2	123678-34040	SPRING, CONT. VALVE	1	1						
40	2	123672-34070	PLUG	1	1						
41	2	127620-34070	RETAINER	1	1						
42	2	123672-34350	SHIM	2	2						
43	2	123672-34350	SHIM	2	2						
44	2	127620-35020	BRACKET, STRAINER	1	1						
47	2	125613-35300	VALVE	1	1						
48	2	124465-44950	GASKET 16	1	1						
49	2	23876-005000	PLUG PT 1/16,SCREW	5	5						
50	2	23414-220000	PACKING 22,ROUND	1	1						
51	2	23876-020000	PLUG 1/4	2	2						
52	2	23876-040000	PLUG PT 1/2	1	1						
53	2	23881-160002	PLUG	1	1						
54	2	22190-220002	SEAL WASHER 22S	1	1						
55	2	127695-35150	STRAINER, LUB. OIL	2	2						
56	1	127675-35120	GASKET	1	1						
57	1	127672-39830	JOINT	1	1						
58	1	22137-080000	WASHER 8, POLISHED	2	2						
59	1	26106-081152	BOLT M 8X115 PLATED	5	5						
60	1	26116-081302	BOLT M 8X130 PLATED	2	2						
61	1	128610-38101	CASE, LO. THERMOSTAT	1	1						
62	1	127688-38200	COVER	1	1						
63	1	120445-48570	OIL SEAL TP-17	1	1						
64	1	120445-48610	THERMOSTAT	1	1						
65	1	22137-080000	WASHER 8, POLISHED	4	4						

++ CONTINUE ++

Fig.17.LUB.OIL COOLER & LUB.OIL STRAI

Fig. 17 潤滑油クーラ&潤滑油フィルタ
LUB.OIL COOLER & LUB.OIL STRAINER




(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
66	1	23876-010000	PLUG PT1/8,SCREW	1	1						
67	1	24321-000300	O-RING G30	2	2						
68	1	24321-000350	O-RING 1A G-35.0	2	2						
69	1	24321-000550	O-RING 1A G-55.0	1	1						
70	1	26106-080182	BOLT M 8X 18 PLATED	3	3						
71	1	26106-080552	BOLT M 8X 55 PLATED	2	2						
72	1	26106-080752	BOLT M 8X 75 PLATED	2	2						
73	1	22137-080000	WASHER 8, POLISHED	2	2						
74	1	127672-39840	JOINT	1	1						
75	1	23414-140000	GASKET 14, ROUND	2	2						
76	1	23857-080000	JOINT BOLT 8	1	1						
77	1	127672-77140	BRACKET	1	1						1
78	1	26116-081352	BOLT M 8X135 PLATED	2	2						1

Remarks
(1)OPTIONAL

Fig.18.LUB.OIL STRAINER(BY-PASS)

Fig. 18 バイパス潤滑油フィルタ
LUB. OIL STRAINER (BY-PASS)




(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	127692-35410	BRACKET, STRAINER	1	1						
2	1	128633-35450	ELEMENT	1	1						
3	1	26106-100402	BOLT M10X 40 PLATED	2	2						
4	1	120445-39290	ELBOW 1/4	1	1						
5	1	127695-39510	PIPE, LUB. OIL	1	1						
6	1	123678-39510	PIPE, LUB OIL	1	1						
7	1	123678-39540	ELBOW	1	1						
8	1	123678-39540	ELBOW	1	1						
9	1	23297-140081	RETAINER 14X 8	1	1						
10	1	23297-140081	RETAINER 14X 8	1	1						
11	1	26106-080122	BOLT M 8X 12 PLATED	1	1						
12	1	127692-35420	NIPPLE	1	1						
13	1	23297-150121	RETAINER 15X12	1	1						

Fig.19.LUB.OIL PIPE

Fig. 19 潤滑油パイプ
LUB. OIL PIPE




(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	127695-39020	PIPE	1	1						
2	1	127675-39040	GASKET	1	1						
3	1	127695-39050	PIPE, LUB.OIL	1	1						
6	2	23311-200000	JONT 20	1	1						
7	2	23821-200000	CAP NUT 20	1	1						
8	1	127610-39061	UNION	1	1						
9	1	127695-39830	PIPE, LUB.OIL	1	1						
12	2	23311-220000	JOINT 22	1	1						
13	2	23821-220000	CAP NUT M22	1	1						
14	1	127695-39851	ELBOW	1	1						
15	1	22111-080000	WASHER	2	2						
16	1	22212-080000	SPRING WASHER 8	2	2						
17	1	24311-000224	O-RING 1A P-22.4	1	1						
18	1	24321-000250	O-RING 1A G-25.0	1	1						
19	1	24321-000300	O-RING G30	1	1						
20	1	26106-080202	BOLT M 8X 20 PLATED	2	2						
21	1	26106-080222	BOLT M 8X 22 PLATED	2	2						
22	1	26106-080352	BOLT M 8X 35 PLATED	1	1						
23	1	26106-080452	BOLT M 8X 45 PLATED	1	1						
24	1	26116-080652	BOLT M 8X 65 PLATED	2	2						
25	1	22190-270002	SEAL WASHER 27S	1	1						

Fig.20.LUB.OIL PIPE(TURBOCHARGER)

Fig.20 潤滑油パイプ (タービン)
LUB.OIL PIPE (TURBOCHARGER)




(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	127675-39040	GASKET	1	1						
2	1	127695-39350	LUB. OIL PIPE	1	1						
6	1	127695-39510	PIPE, LUB. OIL	1	1						
7	1	123678-39540	ELBOW	1	1						
8	1	123688-39721	GASKET, (NON-ASB.)	1	1						
9	1	127695-39750	PIPE, LUB. OIL	1	1						
12	1	123688-39791	GASKET, (NON-ASB.)	1	1						
13	1	127695-39801	PIPE, LUB. OIL	1	1						
16	1	123688-39820	JOINT	1	1						
17	1	23000-028000	CLAMP 28	2	2						
18	1	26106-080202	BOLT M 8X 20 PLATED	1	1						
19	1	26450-080222	BOLT M 8X 22	4	4						
20	1	26106-080352	BOLT M 8X 35 PLATED	1	1						
21	1	22131-100000	WASHER 10	2	2						

Fig.21.LUB.OIL PIPE(F.I.PUMP)

Fig.21 潤滑油パイプ (燃料噴射ポンプ)
LUB.OIL PIPE (F.I.PUMP)



(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	127695-39260	PIPE, LUB.OIL	1	1						
3	2	23311-100000	JOINT 10	1	1						
5	2	23821-100000	CAP NUT M10	1	1						
6	1	127695-39301	PIPE, LUB.OIL	1	1						
9	1	23857-100000	JOINT BOLT 10	1	1						
10	1	124450-39240	RETAINER, PIPE	2	2						
11	1	23414-120000	GASKET 12, ROUND	5	5						
12	1	23414-160000	GASKET 16, ROUND	3	3						
13	1	126645-59250	JOINT BOLT M12	1	1						
14	1	23831-100000	UNION 10	1	1						
15	1	23857-060000	JOINT BOLT 6	1	1						

Fig. **22** 吸排油ポンプ（オプション）
OIL SUCTION/DRAIN PUMP (OPTIONAL)




[illegible]

Fig.23.BILGE PUMP(STD,OPTIONAL)

Fig.23 ビルジポンプ (STD, オプション)
BILGE PUMP (STD,OPTIONAL)





(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	977780-01210	PUMP(12V).BILGE	1	1						
2	2	977780-01230	MOTOR ASSY(BILG PUMP	1	1						
3	2	977780-01250	CONTROLLER	1	1						
4	3	X8636008003	FUSE	1	1						
5	2	X179100021X	STRAINER	1	1						
6	2	X179100100X	PIPE ASSY	1	1						
7	2	X0044021509	HOSE A	1	1						
8	2	X199903800X	SCREW KIT	1	1						
9	2	977780-03000	INPELLER	1	1						

Fig.24.BILGE PUMP(DX,OPTIONAL)

Fig.24 ビルジポンプ (DX, オプション)
BILGE PUMP (DX, OPTIONAL)





(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	977780-01200	PUMP(12V).BILGE	1	1						
2	2	977780-01230	MOTOR ASSY(BILG PUMP	1	1						
3	2	977780-01240	CONTROLLER	1	1						
4	3	X8636008003	FUSE	1	1						
5	2	X179100011X	STRAINER	1	1						
6	2	X179100100X	PIPE ASSY	1	1						
7	2	X0044021509	HOSE A	1	1						
8	2	X199903800X	SCREW KIT	1	1						
9	2	977780-03000	INPELLER	1	1						

Fig.25.C.S.W.PUMP

Fig.25 冷却水ポンプ (海水)
COOLING SEA WATER PUMP




(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	127695-42010	PUMP ASSY, C. WATER	1	1						
2	2	127695-42110	BODY, C.W. PUMP	1	1						
3	2	127695-42120	HOLDER	1	1						
4	2	127695-42080	SHAFT	1	1						
5	2	128620-42100	PLATE	1	1						
6	2	128620-42170	COVER	1	1						
7	2	127610-42070	CASE, SEAL	1	1						
8	2	128620-42200	IMPELLER	1	1						
9	2	128620-42060	SEAL, MECHANICAL	1	1						
10	2	123472-42150	OIL SEAL TC203508	1	1						
11	2	24311-000200	O-RING 1A P-20.0	1	1						
12	2	24101-063044	BALL BEARING	2	2						
13	2	22252-000520	CIRCLIP 52	1	1						
14	2	24321-000600	O-RING 1A G-60.0	1	1						
15	2	24321-000400	O-RING 1A G-40.0	1	1						
16	2	128620-42130	O-RING	2	2						
17	2	22351-040010	SPRING PIN 4X10	2	2						
18	2	26113-080202	BOLT M8X 20 (STEN	4	4						
19	2	26113-060122	BOLT M 6X 12	5	5						
20	2	22512-050160	KEY 5X16,FEATHER	1	1						
21	2	120130-42130	PIPE	1	1						
22	2	126630-42710	WASHER 6	5	5						
23	1	128610-42191	GASKET, (NON-ASB.)	1	1						
24	1	127695-42320	GEAR Z=30	1	1						
25	1	127610-42350	WASHER, V-PULLEY	1	1						
26	1	127610-42440	WASHER	1	1						
27	1	127695-42450	V-PULLEY	1	1						
28	1	22522-040130	WOODRUFF KEY 4X13	1	1						
29	1	24101-063034	BALL BEARING	1	1						
30	1	26106-080202	BOLT M 8X 20 PLATED	4	4						
31	1	26606-140002	NUT M14	1	1						
32	1	26736-200002	NUT M20	1	1						

Fig.26.C.F.W.PUMP

(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

Fig.26 冷却水ポンプ（清水）
COOLING FRESH WATER PUMP




REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	127692-43000	PUMP ASSY, C. WATER	1	1						
2	2	26577-080162	SCREW M 8X 16	3	3						
3	2	124250-42350	SEAL, MECHANICAL	1	1						
5	2	127610-43100	COVER, C.W.PUMP BODY	1	1						
6	2	127675-43110	GASKET(A), COVER	1	1						
7	2	127675-43230	IMPELLER	1	1						
8	2	127610-43301	SHAFT W/BEARING	1	1						
9	2	127610-43321	PULLEY	1	1						
10	2	119620-49290	COCK ASSY 1/4	1	1						
11	2	22252-000350	CIRCLIP 35	1	1						
12	2	26226-080202	STUD M 8X 20 PLATED	2	2						
13	2	26366-080002	NUT M 8	2	2						
14	1	127692-48380	GASKET	1	1						
15	1	127675-43120	GASKET(B), COVER	1	1						
16	1	127695-43780	BOLT	1	1						
17	1	124460-77680	RETAINER	1	1						
18	1	22117-080000	WASHER 8	6	6						
19	1	23061-070500	PIPE 7X 500	1	1						
20	1	26106-080502	BOLT M 8X 50 PLATED	3	3						
21	1	26106-081002	BOLT M 8X100 PLATED	1	1						
22	1	127692-48370	COVER, THERMOSTAT	1	1						
23	1	144626-48450	SEAL	1	1						
24	1	145640-48410	THERMOSTAT	1	1						
25	1	23876-030000	PLUG PT3/8,SCREW	1	1						
26	1	24321-000750	O-RING 1A G-75.0	2	2						

Fig.27.C.F.W.TANK

Fig.27 冷却水タンク（清水）
COOLING FRESH WATER TANK

見出しNo. 1は、見出しNo. (1) から12を含みます。
1 inc. (1) ~ 12




(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	727695-44651	TANK ASSY, FRESH W.	1	1						
2	2	126650-11750	PLUG	2	2						
3	2	126650-11760	GASKET 46	2	2						
5	2	128623-44210	FILLER ASSY	1	1						
6	3	X2351073416	CAP	1	1						
7	3	129171-44620	FILLER ASSY	1	1						
8	2	120445-44640	GASKET	1	1						
9	2	26106-080142	BOLT M 8X 14 PLATED	4	4						
10	2	124160-49480	JOINT, PIPE	1	1						
11	2	23414-200026	GASKET 20	1	1						
12	2	23887-200002	PLUG 20, HEX.	1	1						
13	1	127675-44120	GASKET (NON-ASB.)	1	1						
14	1	127675-44130	GASKET	1	1						
15	1	127695-44490	BRACKET	1	1						
16	1	26106-080182	BOLT M 8X 18 PLATED	2	2						
17	1	43230-556830	SUB TANK	1	1						
18	1	124790-44560	PIPE, C. WATER	1	1						
19	1	23010-013000	CLAMP 13	2	2						
20	1	119593-44560	BRACKET,RESERVOIR	1	1						
21	1	22137-080000	WASHER 8, POLISHED	1	1						
22	1	26106-081052	BOLT M 8X105 PLATED	1	1						
23	1	26226-080252	STUD M 8X 25 PLATED	2	2						
24	1	26226-081002	STUD M 8X100	3	3						
25	1	26366-080002	NUT M 8	5	5						

Fig.28.C.S.W.PIPE

Fig.28 冷却水パイプ (海水)
COOLING SEA WATER PIPE




(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	132310-49250	GASKET	1	1						1
2	1	26204-120302	BOLT M12X 30	2	2						1
3	1	43590-400090	JOINT	1	1						1
4	1	43662-040021	COCK ASSY, SEA WATER	1	1						1
5	1	127695-49100	BEND	1	1						
6	1	128610-49171	GASKET, (NON-ASB.)	1	1						
7	1	127495-49230	PIPE	1	1						
8	1	127695-49250	PIPE	1	1						
9	1	127675-49290	CWS-T	1	1						
10	1	127695-49290	PIPE	1	1						
11	1	124411-49370	CONNECTOR	1	1						
12	1	23000-060000	CLAMP 60	6	6						
13	1	26106-080222	BOLT M 8X 22 PLATED	2	2						
14	1	127695-49320	PIPE	1	1						
15	1	127695-49360	BRACKET	2	2						
16	1	22117-100000	WASHER 10	4	4						
17	1	123678-49410	ELBOW	2	2						1
18	1	127675-49450	HOSE, RUBBER	1	1						1
19	1	127675-49470	JOINT	1	1						1
20	1	127675-49480	JOINT	1	1						1
21	1	26106-100352	BOLT M10X 35 PLATED	2	2						
22	1	23000-054000	CLAMP 54	2	2						1
23	1	26464-032000	U-BOLT E- 32	2	2						
24	1	26366-080002	NUT M 8	4	4						1
25	1	23000-060000	CLAMP 60	2	2						1
26	1	23072-163000	HOSE (45/56X3000)	1	1						1
27	1	43600-500290	COCK 1/4	1	1						
30	1	23000-060000	CLAMP 60	4	4						

Remarks
(1)OPTIONAL

Fig.29.C.S.W.PIPE

Fig.29 冷却水パイプ (清水)
COOLING FRESH WATER PIPE




(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	122780-03260	CONNECTOR	1	1						
2	1	127695-49120	BRACKET	1	1						
3	1	127695-49141	BEND	1	1						
4	1	127695-49410	PIPE	1	1						
5	1	127695-49430	JOINT	1	1						
6	1	26106-080602	BOLT M 8X 60 PLATED	1	1						
7	1	127675-49910	PACKING	1	1						
8	1	121750-59910	JOINT 14, PIPE	1	1						
9	1	124460-77680	RETAINER	1	1						
10	1	124460-77680	RETAINER	3	3						
11	1	23000-013000	CLAMP 13	2	2						
12	1	23000-035000	CLAMP 35	4	4						
13	1	23010-009000	CLAMP 9	1	1						
14	1	23061-070300	PIPE 7X 300	1	1						
15	1	23061-070600	PIPE 7X 600	2	2						
16	1	23061-080400	PIPE 8X400	1	1						
17	1	26106-081002	BOLT M 8X100 PLATED	1	1						
18	1	23414-140000	GASKET 14, ROUND	4	4						
19	1	23857-080000	JOINT BOLT 8	2	2						
20	1	23876-030000	PLUG PT3/8,SCREW	2	2						
21	1	24321-000350	O-RING 1A G-35.0	2	2						
22	1	24321-000550	O-RING 1A G-55.0	2	2						
23	1	26106-080252	BOLT M 8X 25 PLATED	4	4						
24	1	26106-080302	BOLT M 8X 30 PLATED	1	1						
25	1	26106-080302	BOLT M 8X 30 PLATED	1	1						
26	1	26106-080452	BOLT M 8X 45 PLATED	2	2						
27	1	26106-080502	BOLT M 8X 50 PLATED	2	2						
28	1	23887-180002	PLUG 18	1							1
29	1	127672-49750	JOINT	1							1
30	1	127675-49130	BRACKET	1							1
31	1	127675-49750	JOINT	1							1
32	1	23414-180000	GASKET 18, ROUND	1							1

Remarks
(1)OPTIONAL

Fig.30.C.S.W.STRAINER(OPTIONAL)

Fig.30 冷却水フィルタ (海水, オプション)
C. S. W. STRAINER (OPTIONAL)



(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	126630-48800	FILTER, C. WATER	1	1						
2	2	126630-48810	STRAINER	1	1						
3	2	126630-48820	GLASS	1	1						
4	2	126630-48830	GASKET	2	2						
5	2	126630-48840	GASKET	2	2						
6	2	26114-120402	BOLT M12X 40	8	8						
7	2	26714-120002	NUT M12	8	8						
8	1	23000-060000	CLAMP 60	2	2						
9	1	23072-163000	HOSE (45/56X3000)	1	1						

Fig.31.FUEL INJECTION PUMP




Fig.31 燃料噴射ポンプ FUEL INJECTION PUMP

Remarks
(1)INC.FIG.NO.32 GOVERNOR
34 FUEL FEED PUMP 35 TIMER.

(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	727672-51300	PUMP ASSY,F.INJECT	1	1						1
4	3	127695-51030	CAMSHAFT	1							
I 4-1	3	127672-51030	CAMSHAFT	1	1						S
(A=2000.10)											
5	3	144626-51050	BEARING	2	2						
6	3	148016-51060	SUPPORT, CAMSHAFT	1	1						
7	3	144626-51070	SUPPORT (B)	1	1						
8	3	127692-51101	PLUNGER W/BARREL	6	6						
11	3	127692-51141	O-RING	12	12						
12	3	127692-51151	DEFLECTOR	6	6						
13	3	127695-51160	SPRING, PLUNGER	6	6						
14	3	127692-51170	RETAINER A	6	6						
15	3	148688-51180	SHOE,LOWER SPRING	6	6						
16	3	144626-51191	STOPPER	6	6						
17	3	148218-51200	TAPPET ASSY	6	6						
19	4	148218-51250	TAPPET ASSY.	6	6						
23	4	148688-51250	CIRCLIP,ROLLER	6	6						
24	3	144626-51271	STOPPER, GUIDE	6	6						
25	3	144626-51281	O-RING P9	1	1						
26	3	144626-51290	O-RING P6	7	7						
27	3	127695-51301	VALVE W/SEAT,DELV	6	6						
30	3	148218-51330	SPRING, DELIV. VALVE	6	6						
31	3	127695-51341	HOLDER DELIV.VALVE	6	6						
38	3	22190-160002	SEAL WASHER 16S	1	1						
39	3	148218-51390	PACKING	6	6						
40	3	127692-51390	COLLAR	6	6						
41	3	127692-51420	PIN	6	6						
42	3	127695-51420	O-RING	18	18						
43	3	144626-51430	PIN	6	6						
44	3	144626-51451	SHIM SET	1	1						
48	3	127695-51500	RACK	1	1						
49	3	127692-51510	PINION	6	6						
50	3	144626-51521	SCREW	1	1						
51	3	135410-51530	SPRING	1	1						
52	3	135410-51540	WASHER	1	1						
53	3	144626-51540	CIRCLIP	6	6						
54	3	144626-51580	BUSH, CONTROL RACK	2	2						
55	3	144626-51590	SCREW (A)	1	1						
56	3	144626-51600	SCREW (B)	1	1						
57	3	144626-51641	NUT	1	1						
58	3	138613-51660	BOLT (L=21)	2	2						
59	3	144626-51660	O-RING	2	2						
60	3	144626-51670	PLUG	2	2						
61	3	144626-51680	O-RING	2	2						
62	3	22190-060002	SEAL WASHER 6S	2	2						
63	3	148688-51700	SHIM SET	12	12						
75	3	144626-51730	PLUG	7	7						
76	3	144626-51800	BOLT	12	12						
77	3	144626-51840	O-RING	2	2						
78	3	148688-51850	BEARING,INTERM.SHAFT	1	1						
79	3	126617-51860	PROTECTOR,SPILL	2	2						
80	3	124410-51861	GASKET, (NON-ASB.)	1	1						
81	3	145647-51880	POINTER	1	1						
82	3	136600-42480	OIL SEAL TC304508	1	1						

++ CONTINUE ++

Fig.31.FUEL INJECTION PUMP





Fig. 31 燃料噴射ポンプ FUEL INJECTION PUMP

Remarks
(1)INC.FIG.NO.32 GOVERNOR
34 FUEL FEED PUMP 35 TIMER.

(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
83	3	144626-51930	LABEL	1	1						
84	3	144626-51940	PLUG	1	1						
85	3	144626-51950	O-RING 1016	1	1						
86	3	22190-180002	SEAL WASHER 18	1	1						
87	3	22217-060000	SPRING WASHER 6	1	1						
88	3	22287-080000	LOCKING WASHER	4	4						
89	3	22451-060000	WIRE 0.6	1	1						
90	3	22522-060220	KEY 6X22,WOODRUFF	1	1						
91	3	22621-230030	RIVET 2.3X 3	2	2						
92	3	23414-060000	GASKET 6, ROUND	2	2						
93	3	23887-120002	PLUG 12,HEX.	1	1						
94	3	23887-160002	PLUG 16,HEX.	1	1						
95	3	24316-000210	O-RING P21.0	6	6						
96	3	26106-060122	BOLT M 6X 12 PLATED	2	2						
97	3	26226-060162	STUD M 6X 16 PLATED	3	3						
98	3	26376-100002	U-NUT M10	12	12						
99	3	148688-51840	BOLT	2	2						
100	3	26450-080202	BOLT M 8X 20	4	4						
101	3	26716-060002	NUT 6	3	3						
102	3	22190-120002	SEAL WASHER 12	1	1						
103	2	128625-52010	FEED PUMP	1	1						
104	2	727695-54800	TIMER ASSY	1	1						
105	2	127695-54990	COUPLING	1	1						
107	2	127692-51951	VALVE ASSY,OVER-FLOW	1	1						
108	3	23414-100000	GASKET 10, ROUND	1	1						
109	3	127692-51961	BODY	1	1						
110	3	127692-51970	SPRING	1	1						
111	3	127692-51990	RETAINER	1	1						
112	3	127692-51890	PISTON	1	1						

Fig.32.GOVERNOR



図出No. 158は、図出No. 159から167を省略します。
158inc. 159 ~ 167

Fig.32 ガバナ GOVERNOR


(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
2	2	122710-51080	SEAL AC0735-E00X9	1	1						
3	2	144626-51930	LABEL	1	1						
4	2	127695-61010	CASE, GOVERNOR	1	1						
5	2	26756-080002	LOCK NUT M 8 PLATED	1	1						
6	2	26777-120002	NUT 12	2	2						
8	3	122710-51090	KEY	1	1						
9	3	127695-61021	HOUSING, GOVERNOR	1	1						
10	3	119000-61120	LINK	1	1						
11	3	119000-61170	PIN, LINK	1	1						
12	3	127695-61190	SPRING	1	1						
13	3	127695-61400	LEVER	1	1						
17	4	22322-030220	TAPER PIN 3X22	2	2						
18	3	120323-61430	BUSH	1	1						
19	3	127695-61430	BUSH	1	1						
20	3	129155-61450	BOLT, REVOL. LIMIT	1	1						
21	3	129795-61470	PLUG 20,BORE	1	1						
22	3	119000-61490	SHAFT, GOV. LEVER	1	1						
23	3	127692-61500	LEVER	1	1						
39	3	120320-61540	SEAL SC102004	1	1						
40	3	129595-61610	BUSH	1	1						
41	3	119000-61630	SHIM PACK	1	1						
47	3	127695-61631	LEVER	1	1						
48	3	148616-61650	OIL SEAL VC081404	1	1						
49	3	127695-61700	SPRING, GOVERNOR	1	1						
50	3	127495-61770	LINK	1	1						
51	3	127495-61780	LINK	1	1						
52	3	127495-61790	LINK	1	1						
53	3	127695-61790	PIN	1	1						
54	3	127695-61840	BUSH	1	1						
55	3	127695-61860	SPRING	1	1						
56	3	127695-61870	LEVER	1	1						
60	3	127695-61901	LEVER	1	1						
61	3	127695-61910	SPRING	1	1						
62	3	22117-050000	WASHER 5	3	3						
63	3	22117-060000	WASHER 6	2	2						
64	3	22137-080000	WASHER 8, POLISHED	1	1						
65	3	22190-160002	SEAL WASHER 16S	1	1						
66	3	22272-000040	CIRCLIP E- 4	1	1						
67	3	22272-000080	CIRCLIP E- 8	2	2						
68	3	22272-000100	CIRCLIP E-10	1	1						
69	3	22312-030250	PARALLEL PIN 3X25	1	1						
70	3	22351-030016	SPRING PIN 3X16	2	2						
71	3	22372-060000	SNAP PIN 6	1	1						
72	3	22411-160120	PIN 1.6* 12	1	1						
73	3	22417-120120	COTTER PIN 1.2X12	1	1						
74	3	22492-060362	PIN 6X 36	1	1						
75	3	23887-160002	PLUG 16,HEX.	1	1						
76	3	24311-000120	O-RING 1A P 12.0	1	1						
77	3	24341-000080	O-RING 1A S-8.0	2	2						
78	3	26756-060002	LOCK NUT 6	1	1						
79	2	127695-61040	PACKING,GOV.CASE	1	1						
80	2	119000-61052	GASKET, GOV. CASE	1	1						
81	2	119187-61071	HOUSING, GOVERNOR.	1	1						
82	2	127695-61071	GASKET	1	1						




++ CONTINUE ++

Fig.32.GOVERNOR

Fig.32 ガバナ GOVERNOR



図出No. 158は、図出No. 159から167を省略します。
158inc. 159 ~ 167







(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
83	2	135210-61090	LEAD	1	1						
84	2	127695-61200	SUPPORT ASSY,GOV	1	1						
91	2	127695-61300	SLEEVE ASSY	1	1						
92	3	121850-61310	SHIFTER (A)	1	1						
93	3	121850-61320	BEARING, THRUST BALL	1	1						
94	3	127695-61330	SHIFTER	1	1						
95	3	127695-61340	SHIFTER	1	1						
96	3	121850-61350	CLIP	1	1						
97	3	128300-61350	SLEEVE	1	1						
98	2	121850-61380	NUT	1	1						
99	2	121850-61390	SPRING	1	1						
100	2	171353-61460	BOLT, IDLE LIMIT	1	1						
101	2	119000-61470	NUT	1	1						
102	2	120323-61470	BOLT, CONTROL	1	1						
103	2	127695-61470	BOLT	1	1						
104	2	127695-61480	NUT	1	1						
105	2	127495-61550	ANGLEICH	1	1						
109	3	127495-61700	SHIM SET	1	1						
115	3	127495-61710	SHIM	1	1						
116	3	22272-000040	CIRCLIP E- 4	1	1						
117	2	26116-060306	BOLT M 6X 30 PLATED	1	1						
118	2	26116-060356	BOLT M 6X 35 PLATED	1	1						
119	2	26667-080002	CAP NUT M 8	1	1						
120	2	26687-120002	CAP NUT M12	1	1						
121	2	26716-060002	NUT 6	1	1						
122	2	124616-61580	NUT	1	1						
123	2	129595-61600	CASE	1	1						
124	2	129595-61620	ROD	1	1						
125	2	127495-61660	RING	1	1						
126	2	129595-61670	BOLT	1	1						
127	2	127675-61680	SPRING	1	1						
128	2	129595-61680	DIAPHRAGM	1	1						
129	2	144626-61690	PLUG	1	1						
130	2	144626-61700	O-RING 2019	1	1						
131	2	127495-61850	LINK	1	1						
132	2	129100-61930	NUT, CAP	1	1						
133	2	127695-61951	COVER	1	1						
134	2	127695-61961	GASKET	1	1						
135	2	127695-61970	BRACKET	1	1						
136	2	22190-080000	SEAL WASHER 8(BOLT)	2	2						
137	2	22190-100002	SEAL WASHER 10S	1	1						
138	2	22190-120002	SEAL WASHER 12	2	2						
139	2	22190-160002	SEAL WASHER 16S	1	1						
140	2	22217-060000	SPRING WASHER 6	4	4						
141	2	22351-050010	SPRING PIN 5X10	2	2						
142	2	22453-060000	WIRE 0.6	1	1						
143	2	23887-100002	PLUG 10	1	1						
144	2	23887-160002	PLUG 16,HEX.	1	1						
145	2	26106-060122	BOLT M 6X 12 PLATED	2	2						
146	2	26106-060162	BOLT M 6X 16 PLATED	4	4						
147	2	26106-060182	BOLT M 6X 18 PLATED	3	3						
148	2	26106-060202	BOLT M 6X 20 PLATED	1	1						
149	2	26106-060252	BOLT M 6X 25 PLATED	6	6						
150	2	26106-060302	BOLT M 6X 30 PLATED	3	3						

++ CONTINUE ++

Fig.32.GOVERNOR




(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY					
				(A)	(B)	(C)	(D)	(E)	(F)
151	2	26106-080202	BOLT M 8X 20 PLATED	4	4				
152	2	26116-060126	BOLT M 6X 12 PLATED	2	2				
153	1	127692-61550	IDLE SUB.	1	1				
158	1	127675-61590	SPRING CMP	1	1				
159	2	121850-61660	BOLT (A), SPRING	1	1				
160	2	144626-61781	PIECE, SPRING	2	2				
161	2	22117-080000	WASHER 8	2	2				
162	2	22217-080000	SPRING WASHER 8	2	2				
163	2	22272-000060	CIRCLIP E- 6	2	2				
164	2	26106-080142	BOLT M 8X 14 PLATED	2	2				
165	2	127695-61490	SUPPORT	1	1				
166	2	119173-61650	SPRING	1	1				
167	2	121850-61670	BOLT (B), SPRING	1	1				

Fig.33.FUEL FEED PUMP(PREVIOUS

Fig.33 燃料フィードポンプ (旧形)
FUEL FEED PUMP (PREVIOUS




(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	127692-52000	PUMP ASSY, FUEL FEED	1							Z
	(A=*2000.10)										
2	2	148688-52012	BODY ASSY,FEED PUMP	1							
3	3	124210-21230	PLUG	1							
5	3	135200-52051	SEAT, VALVE	2							
6	3	144626-52270	OIL SEAL KB5-14-5	2							
7	2	148616-52420	JOINT	1							
8	2	135200-52071	CIRCLIP	1							
14	2	148616-52161	SPINDLE	1							
15	2	135200-52170	PISTON	1							
16	2	148616-52180	SPRING, PISTON	1							
17	2	135200-52211	VALVE, FEED PUMP	4							
18	2	127692-52210	RETAINER, SPRING	1							
19	2	144626-52230	RETAINER	3							
20	2	144626-52240	RETAINER	1							
21	2	135200-52301	PUMP ASSY, PRIMING	1							
23	3	135200-52320	PACKING	1							
26	3	135200-52350	SPRING, PRIMING	1							
27	3	135200-52361	HANDLE, PRIMING	1							
28	3	22322-030180	TAPER PIN 3X18	1							
30	2	135200-52510	SPRING, CHECK VALVE	4							
31	2	23414-180023	GASKET 18	4							
32	2	23414-250031	GASKET 25	1							

Fig.34.FUEL FEED PUMP(NEW

Fig.34 燃料フィードポンプ (新形)
FUEL FEED PUMP (NEW)

見出しNo. 1は、見出しNo. (1) から19を含みます。
1 inc. (1) ~ 19




(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	128625-52010	FEED PUMP	1	1						W
(A=*2000.10)											
3	2	X1521001120	PISTON	1	1						
4	2	X1521021300	SPRING, PISTON	1	1						
5	2	X1521051500	PLUG	1	1						
6	2	X0293326030	GASKET	1	1						
8	2	X1521150500	VALVE	4	4						
9	2	X1521160200	SPRING	4	4						
10	2	X1521170400	PLUG	3	3						
11	2	X0293316030	GASKET	3	3						
12	2	X1521210400	RING, SNAP	1	1						
13	2	X1522005320	PUMP, PRIMING	1	1						
14	2	X1523200100	COVER	1	1						
15	2	X1523005920	BOLT	1	1						
16	2	X0297314680	EYE BOLT	1	1						
17	2	X0293314230	GASKET	4	4						
18	2	X0271141040	JOINT	2	2						
19	2	X0296316060	O-RING	1	1						

Fig.35.TIMER

Fig.35 タイマ
TIMER




(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=


REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	727695-54800	TIMER ASSY	1	1						
37	1	127695-54990	COUPLING	1	1						
38	2	127695-54510	COUPLING A	1	1						
39	2	148016-54522	SHIM	6	6						
40	2	148016-54522	SHIM	6	6						
41	2	144626-54541	WASHER	8	8						
42	2	144626-54551	WASHER	8	8						
43	2	127495-54560	BOLT A	2	2						
44	2	127495-54570	BOLT B	6	6						
45	2	144626-54581	WASHER	2	2						
46	2	22217-140000	SPRING WASHER 14	1	1						
47	2	26156-140602	BOLT M14X 60 PLATED	1	1						
48	2	26706-100002	NUT M10	2	2						
49	2	148016-54492	IDLE JOINT	1	1						

Fig.36.F.I.VALVE

Fig.36 燃料噴射弁
FUEL INJECTION VALVE



REFER TO Fig. 8




(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	727672-53100	FO,INJECTION V,ASSY	6							
2	2	127672-53000	NOZZLE ASSY,F.INJECT	6							
5	2	128628-53080	HOLDER, VALVE W/CASE	6							
7	2	120323-53120	SPRING	6							
8	2	120323-53130	SEAT, SPRING	6							
9	2	103200-53210	KNOCK, VALVE	12							
10	2	128619-53330	JOINT	6							
11	2	128628-53410	RETAINER	6							
12	2	128628-53440	NUT	6							
13	2	23414-140000	GASKET 14, ROUND	6							
14	2	24321-000250	O-RING 1A G-25.0	6							
15	1	727672-53200	FO,INJECTION V,ASSY	6							
16	2	127694-53050	VALVE W/CASE,F.I.	6							
19	2	128628-53080	HOLDER, VALVE W/CASE	6							
21	2	120323-53120	SPRING	6							
22	2	120323-53130	SEAT, SPRING	6							
23	2	103200-53210	KNOCK, VALVE	12							
24	2	128619-53330	JOINT	6							
25	2	128628-53410	RETAINER	6							
26	2	128628-53440	NUT	6							
27	2	23414-140000	GASKET 14, ROUND	6							
28	2	24321-000250	O-RING 1A G-25.0	6							

Fig.37.FUEL INJECTION PUMP DRIVING DE

Fig.37 燃料ポンプ駆動装置
FUEL OIL PUMP DRIVING DEVICE




(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	727695-54901	DRIVING UNIT, PUMP	1	1						
2	2	111130-02160	SEAL OIL TC35508	1	1						
3	2	127695-54360	CASE, BEARING	1	1						
4	2	127695-54371	SHAFT	1	1						
5	2	127695-54391	COVER	1	1						
6	2	127675-54400	PACKING	1	1						
7	2	127675-54440	PACKING	1	1						
8A	2	127695-54810	SHIM	1	1						
8B	2	127695-54820	SHIM	1	1						
8C	2	127695-54830	SHIM	1	1						
8D	2	127695-54840	SHIM	1	1						
9	2	22252-000800	CIRCLIP 80	1	1						
10	2	24101-062074	BALL BEARING	1	1						
11	2	24145-003074	ROLLER BEARING	1	1						
12	2	26366-100002	NUT M10	6	6						
13	2	26216-100322	STUD M10X 32 PLATED	6	6						
14	2	22512-100160	KEY 10X16,FEATHER	1	1						
15	2	22512-100200	KEY 10X 20	1	1						
16	2	26106-080182	BOLT M 8X 18 PLATED	6	6						
17	1	127695-54260	COVER	1	1						
18	1	127695-54381	GEAR,FO PUMP Z=62	1	1						
19	1	127695-54431	WASHER	1	1						
20	1	127695-54500	LOCK NUT M27	1	1						
21	1	127695-54270	SPACER	2	2						
22	1	29311-121000	GROMMET	2	2						
23	1	22131-080000	WASHER 8	2	2						
24	1	26106-080252	BOLT M 8X 25 PLATED	2	2						
25	1	26106-080352	BOLT M 8X 35 PLATED	2	2						

Fig.38.FUEL INJECTION PUMP MOUNT

Fig.38 燃料噴射ポンプ取付台
FUEL INJECTION PUMP MOUNT




(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	127695-54020	BRACKET	1	1						
2	1	127695-54030	PIPE W/JOINT	1	1						
3	1	127695-54050	BRACKET	1	1						
4	1	127495-54060	RETAINER	2	2						
5	1	148616-54070	SHIM SET	4	4						
8	1	127695-54080	SHIM (T=0.1)	4	4						
9	1	127695-54090	SHIM 0.2	4	4						
10	1	22312-100220	PARALLEL PIN 10X22	2	2						
11	1	26106-080162	BOLT M 8X 16 PLATED	4	4						
12	1	26106-100202	BOLT M10X 20 PLATED	2	2						
13	1	26106-100302	BOLT M10X 30 PLATED	4	4						
14	1	26106-100452	BOLT M10X 45 PLATED	2	2						
15	1	26106-100902	BOLT M10X 90 PLATED	4	4						
16	1	26106-080282	BOLT M 8X 28 PLATED	4	4						
17	1	26106-080222	BOLT M 8X 22 PLATED	2	2						

Fig.39.FUEL STRAINER & OIL/WATER SEPA

Fig.39 燃料フィルタ&油水分離器 FUEL STRAINER & OIL/WATER SEPARATER




(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	127695-55610	STRAINER ASSY,FUEL	1	1						
2	2	127695-55620	BRACKET	1	1						
3	3	26206-080102	BOLT M 8X 10 PLATED	2	2						
4	3	22190-080000	SEAL WASHER 8(BOLT)	2	2						
5	2	127695-55630	STRAINER	2	2						
6	3	X0313080822	PLUG	2	2						
7	3	X0588080273	GASKET	2	2						
8	1	26106-100252	BOLT M10X 25 PLATED	4	4						
9	1	22137-080000	WASHER 8, POLISHED	2	2						
10	1	22217-080000	SPRING WASHER 8	2	2						
11	1	23000-019000	CLAMP 19	2							
I	11-1	1	23000-022000	CLAMP 22	4	4					N
(A=*2000.09)											
12	1	23414-140000	GASKET 14, ROUND	4	4						
13	1	23857-080000	JOINT BOLT 8	2	2						
14	1	26106-080302	BOLT M 8X 30 PLATED	2	2						
15	1	26106-100302	BOLT M10X 30 PLATED	2	2						
16	1	26366-080002	NUT M 8	2	2						
17	1	26366-100002	NUT M10	2	2						
18	1	127692-59420	PIPE, FUEL OIL	2	2						
19	1	127695-55750	SEPARATOR ASSY. O/W	1	1						1
21	2	123678-55850	GASKET	1	1						
22	2	127695-55760	ELEMENT, FUEL OIL	1	1						
23	2	123678-55770	BOLT, CENTER	1	1						
24	2	123678-55870	GASKET	1	1						
25	2	123678-55860	SPRING SEAT	2	2						
26	2	X0600190922	SPRING	1	1						
27	2	23887-080002	PLUG 8	1	1						
28	2	23414-080000	GASKET 8, ROUND	1	1						
29	2	123678-55880	PLUG	1	1						
30	2	123678-55890	GASKET	1	1						
31	2	X2551025110	COLLAR	1	1						
32	2	123678-55700	COVER	1	1						
33	1	123672-55811	BRACKET	1	1						

Remarks
(1)OPTIONAL


Fig. 40 燃料噴射パイプ
FUEL INJECTION PIPE



REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	127695-59140	PIPE, FUEL RETURN(A)	2	2						
2	2	135210-39140	JOINT, PIPE	4	4						
6	2	43510-000230	JOINT, PIPE	4	4						
7	1	105582-59150	BOLT, PIPE JOINT	10	10						
8	1	127695-59240	PIPE, FUEL RETURN	1	1						
9	2	135210-39140	JOINT, PIPE	2	2						
14	1	120445-59720	PIPE, FUEL OIL	1	1						
15	1	127420-59080	RETAINER ASSY.	1	1						
16	2	123372-59100	CLAMP	2	2						
17	2	26106-060202	BOLT M 6X 20 PLATED	2	2						
18	2	26366-060002	NUT M 6	1	1						
19	1	127620-59080	RETAINER SET	4	4						
20	2	122780-59100	RETAINER	8	8						
21	2	26106-060202	BOLT M 6X 20 PLATED	8	8						
22	2	26366-060002	NUT M 6	4	4						
24	1	127695-59811	PIPE, FUEL INJECT	1	1						
30	1	127695-59821	PIPE, FUEL INJECT	1	1						
36	1	127695-59831	PIPE, FUEL INJECT	1	1						
42	1	127695-59841	PIPE, FUEL INJECT	1	1						
48	1	127695-59851	PIPE, FUEL INJECT	1	1						
54	1	127695-59861	PIPE, FUEL INJECT	1	1						
60	1	127695-59950	O-RING	6	6						
61	1	23000-013000	CLAMP 13	2	2						
62	1	22190-080002	SEAL WASHER 8S	20	20						

Fig.41.FUEL PIPE

Fig.41 燃料パイプ
FUEL PIPE



Remarks
(1)OPTIONAL


(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	127692-59010	PIPE, FUEL OIL	1							
1-1	1	119593-59132	PIPE, FUEL OIL	1	1					N	
(A=*2000.09)											
2	1	127692-59030	PIPE A ASSY	1							
2-1	1	119593-59141	PIPE, FUEL OIL	1						N	
(A=*2000.09)											
I 2-2	1	127672-59020	PIPE, FUEL OIL	1	1					N	
(A=E/#70327)											
3	1	127695-59090	SPACER	2	2						
I 3-1	1	127695-59090	SPACER	2	2					Z	
(A=E/#70327) (B=E/#70105)											
4	1	127692-59300	JOINT BOLT 14	1	1						
I 4-1	1	127672-59300	JOINT BOLT 14	1	1					S	
(A=E/#70327) (B=E/#70105)											
5	1	127692-59420	PIPE, FUEL OIL	1	1						
6	1	23414-140018	GASKET 14	2	2						
6-1	1	22190-140002	SEAL WASHER 14S	2	2					N	
(A=E/#70157)											
7	1	23414-140018	GASKET 14	2	2						
8	1	23414-140018	GASKET 14	2	2						
8-1	1	22190-140002	SEAL WASHER 14S	2	2					N	
(A=E/#70157)											
9	1	23414-200000	GASKET 20, ROUND	2	2						
9-1	1	22190-200002	SEAL WASHER 20S	2	2					N	
(A=E/#70157)											
I 9-2	1	22190-200002	SEAL WASHER 20S	2	2					Z	
(A=E/#70327) (B=E/#70105)											
10	1	23857-080000	JOINT BOLT 8	2	2						
I 10-1	1	23857-080000	JOINT BOLT 8	2	2					Z	
(A=E/#70327) (B=E/#70105)											
11	1	23857-080000	JOINT BOLT 8	1	1						
12	1	23857-080000	JOINT BOLT 8	1	1						
13	1	124450-01980	GASKET	2	2						
14	1	127692-59110	PIPE, FUEL OIL	1							
14-1	1	127672-59110	FOT	1						N	
(A=*2000.09)											
I 14-2	1	127672-59120	PIPE, FUEL OIL	1	1					N	
(A=E/#70327)											
15	1	127692-59530	JOINT	1	1						
16	1	127692-59540	JOINT	1							
16-1	1	127672-59540	JOINT 12 PIPE	1	1					N	
(A=*2000.09)											
17	1	22190-140002	SEAL WASHER 14S	3	3						
18	1	23000-019000	CLAMP 19	2	2						
18-1	1	23000-022000	CLAMP 22	2	2					N	
(A=*2000.09)											
19	1	23414-140018	GASKET 14	2	2						
19-1	1	22190-140002	SEAL WASHER 14S	2	2					N	
(A=E/#70157)											
I 19-2	1	22190-140002	SEAL WASHER 14S	2	2					Z	
(A=E/#70327) (B=E/#70105)											
20	1	126616-59151	PIPE, FUEL OIL	2							1
20-1	1	127672-59150	FOT	2	2					N	1
(A=*2000.09)											

++ CONTINUE ++

Fig.41.FUEL PIPE

Fig.41 燃料パイプ
FUEL PIPE




(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
21	1	120445-59720	PIPE, FUEL OIL	1							1
21-1	1	127672-59720	FOT	1	1					N	1
(A=*2000.09)											
22	1	23000-013000	CLAMP 13	2							1
22-1	1	23000-016000	CLAMP 16	4	4					N	1
(A=*2000.09)											
23	1	23000-019000	CLAMP 19	4							1
23-1	1	23000-022000	CLAMP 22	8	8					N	1
(A=*2000.09)											
I 24	1	119575-59300	PROTECTOR (FOT	2	2						W
(A=E/#70327)											
I 25	1	121750-59890	CLAMP 140	4	4						W
(A=E/#70327)											
I 26	1	127672-59560	PIPE, FUEL	1	1						W
(A=E/#70327) (B=E/#70105)											
I 27	1	119593-59920	VALVE ASSY,OVER-FLOW	1	1						W
(A=E/#70327) (B=E/#70105)											
I 31	1	119593-59960	ELBOW PT1/8	1	1						W
(A=E/#70327) (B=E/#70105)											
I 32	1	22190-140000	SEAL WASHER	1	1						W
(A=E/#70327) (B=E/#70105)											
I 33	1	23000-016000	CLAMP 16	2	2						W
(A=E/#70327) (B=E/#70105)											

Remarks
(1)OPTIONAL

Fig.42.ENGINE STOP DEVICE

Fig.42 機関停止装置
ENGINE STOP DEVICE




(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	171078-66551	PIN	1	1						
2	1	127675-67300	BRACKET, SOLENOID	1	1						
3	1	127675-67310	LINK	1	1						
4	1	129470-67320	ENGINE STOP SOLENOID	1	1						
5	1	22117-060000	WASHER 6	1	1						
6	1	22117-080000	WASHER 8	1	1						
7	1	22360-080000	SNAP PIN 8	2	2						
8	1	26106-060202	BOLT M 6X 20 PLATED	1							
I	8-1	26014-060252	BOLT M 6X 25	1	1						N
(A=*2000.10)											
9	1	26106-080122	BOLT M 8X 12 PLATED	2	2						
10	1	22212-050000	SPRING WASHER 5	2	2						
11	1	26106-080162	BOLT M 8X 16 PLATED	1	1						
12	1	26551-050122	SCREW	2	2						
13	1	26751-050002	LOCK NUT	2	2						
14	1	41701-001720	BRACKET	1	1						
15	1	41710-000410	CLAMP	1	1						
16	1	41710-001300	JOINT	1	1						
17	1	26366-080002	NUT M 8	1	1						

Fig.43.STARTING MOTOR

Fig.43 スターティングモータ
STARTING MOTOR




(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	127675-77011	STARTER	1	1						
2	2	X0282002800	ARMATURE ASSY	1	1						
3	2	X0283002012	CLUTCH, SUB ASSY	1	1						
4	2	X2284015230	HOUSING, STARTER	1	1						
5	2	X1534004600	SWITCH, MAGNETIC	1	1						
6	2	X0285100880	HOLDER, BRUSH	1	1						
7	2	X0285017181	FRAME	1	1						
8	2	X9491200240	BALL	1	1						
9	2	X9491704070	SPRING	1	1						
10	2	X0283713210	PINION	1	1						
11	2	X0283060070	ROLLER	5	5						
12	2	X0280630030	RETAINER	1	1						
13	2	X0280620130	COVER	1	1						
14	2	X9490423690	BOLT	1	1						
15	2	X9490423680	BOLT	1	1						
16	2	X9117012071	NUT	1	1						
17	2	X0283270171	RETAINER	1	1						
18	2	X0283213200	PINION	1	1						
19	2	X9490564480	NUT	1	1						
20	2	X0289010361	SEAL	2	2						
21	2	X0285301090	BRUSH	2	2						
22	2	X0285301100	BRUSH	2	2						
23	2	X9491003540	BEARING, BALL	1	1						
24	2	X9491005290	BEARING, BALL	1	1						
25	2	X9490076850	SCREW	1	1						
26	2	X9490065060	SCREW	3	3						
27	2	X0280650250	BUSHING	1	1						
28	2	X0280625790	COVER	1	1						
29	2	X9025812001	WASHER	1	1						
30	2	X9490076530	SCREW	4	4						
31	2	X0536600443	PLUNGER	1	1						
32	2	X0534040240	PACKING	1	1						
33	2	X0535057190	COVER	1	1						
34	2	X9490474440	BOLT	3	3						
35	2	X0281004410	YOKE	1	1						
36	1	127675-77080	RELAY	1	1						
37	1	127675-77090	BRACKET(RELAY	1	1						
38	1	22137-120000	WASHER 12,POLISHED	3	3						
39	1	22212-120000	SPRING WASHER 12	3	3						
40	1	26106-060122	BOLT M 6X 12 PLATED	2	2						
41	1	26116-120402	BOLT M12X 40	3	3						
42	1	123310-77640	SWITCH, BATTERY	1	1						
43	1	123325-77920	TERMINAL	2	2						
44	1	123325-77930	TERMINAL	2	2						
45	1	22117-100000	WASHER 10	1	1						
46	1	22724-800380	SCREW 8X 38	2	2						
47	1	26106-100162	BOLT M10X 16 PLATED	1	1						

Fig.44.GENERATOR

(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=


Fig.44 ジェネレータ GENERATOR



REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	127675-77200	GENERATOR	1	1						
2	2	XL155G14000	COVER ASSY, FRONT	1	1						
3	3	119129-77850	BALL BEARING	1	1						
4	3	119129-77870	RETAINER, BEARING	1	1						
5	2	XL155G21000	ROTOR ASY	1	1						
6	3	119129-77320	BALL BEARING	1	1						
7	2	XL155G33000	COVER ASSY, REAR	1	1						
8	3	XL155G23010	COVER, REAR	1	1						
9	3	XL155631500	BRUSH ASSY,REGULATOR	1	1						
10	4	XL155G13300	BRUSH ASSY	2	2						
11	4	XL225131800	CONDENSER	1	1						
12	4	124080-77390	REGULATOR ASSY	1	1						
13	4	124080-77390	REGULATOR ASSY	2	2						
14	3	XL225332000	DIODE ASSY	1	1						
15	3	119129-77250	WIRE	1	1						
16	4	119129-77260	CLAMP,LEAD WIRE	1	1						
17	2	XL155G35000	PULLEY ASSY	1	1						
18	2	XL155420010	STATOR ASSY	1	1						
19	2	119129-77890	BOLT, THROUGH	4	4						
20	2	123658-77900	NUT ASSY, PULLEY	1	1						
21	2	119129-77930	SCREW KIT	1	1						
23	1	26726-080002	NUT M 8	1	1						
24	1	127675-77260	BRACKET	1	1						
25	1	127695-77330	ADJUSTER, V-BELT	1	1						
26	1	127695-77600	BOLT M8	2	2						
27	1	22137-080000	WASHER 8, POLISHED	1	1						
28	1	22137-100000	WASHER 10,POLISHED	2	2						
29	1	25132-004250	V-BELT,LOW EDGE A42	2	2						
30	1	26106-080352	BOLT M 8X 35 PLATED	1	1						
31	1	26106-100202	BOLT M10X 20 PLATED	1	1						
32	1	26116-101202	BOLT M10X120 PLATED	1	1						
33	1	26716-100002	NUT 10	1	1						
34	1	124550-66831	RETAINER	4	4						
35	1	127695-77460	COVER	1	1						
36	1	128628-77850	BOLT	3	3						
37	1	22117-120000	WASHER 12	4	4						
38	1	26366-080002	NUT M 8	1	1						
39	1	29311-123000	GROMMET 12.0X3.0	4	4						
40	1	127675-77320	COVER	1	1						

Fig.45.HEATER PLUG(OPTIONAL)

Fig.45 ヒータプラグ (オプション)
HEATER PLUG (OPTIONAL)






(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	194250-51650	CLAMP 66	1	1						
2	1	194250-51660	BAND 250	1	1						
3	1	119575-77050	PLUG,HEATER	2							
4	1	119575-77060	RELAY,HEATER	1	1						
5	1	119575-77070	CONTROLER	1							
I	5-1	119575-77071	CONTROLER	1							N
(A=*2000.09)											
6	1	127672-77910	HARNESS,HEATER	1							
6A	1	127672-77920	HARNESS,HEATER		1						
7	1	124616-91370	SWITCH, THERMO	1	1						
8	1	23414-200000	GASKET 20, ROUND	2							
9	1	26216-060182	STUD M 6X 18 PLATED	2	2						
10	1	26366-060002	NUT M 6	2	2						
11	1	26756-060002	LOCK NUT 6	2	2						
12	1	41411-000300	SHOCK ABSORBER	2	2						

Fig.46.WIRE HARNESS & SENSOR

Fig.46 ワイヤハーネス&センサ
WIRE HARNESS & SENSOR




Remarks
(1)OPTIONAL
(2)VDO SPEC. ,OPTIONAL

(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	121252-39450	SENDER, OIL PRESSURE	1	1						
2	1	127672-77810	HARNESS (ENG	1	1						
3	1	123482-39670	DAMPER	1	1						
4	1	127610-44900	PLUG	1	1						
5	1	124411-91160	SENSOR, TACHOMETER	1	1						
6	1	119773-91300	SENDER	1	1						
7	1	127610-91350	SWITCH, THERMO	1	1						
8	1	119773-91500	SENDER UNIT	1							
I	8-1	119773-91501	SENDER UNIT	1	1						N
(A=*2000.10)											
9	1	144626-91570	SENDER UNIT	1	1						
10	1	23414-120000	GASKET 12, ROUND	1	1						
11	1	23414-180000	GASKET 18, ROUND	1	1						
12	1	23876-030000	PLUG PT3/8,SCREW	1	1						
13	1	22190-360002	SEAL WASHER 36S	1	1						
14	1	119773-91850	RELAY	1	1						1
15	1	129574-77980	HARNESS.	1	1						1
16	1	129574-91560	SENDER UNIT	1	1						1
17	1	129574-91570	SENDER UNIT	1	1						1
18	1	124770-49310	RETAINER	1	1						
19	1	119773-91850	RELAY	1	1						
20	1	123682-77710	PROTECTOR	1	1						
21	1	26106-080122	BOLT M 8X 12 PLATED	1	1						
22	1	129574-77710	HARNESS, WIRE(4M)	1	1						
23	1	129574-77720	HARNESS, WIRE(6M)	1	1						
24	1	119773-91600	SENDER UNIT	1	1						2
25	1	119773-91650	SENDER UNIT	1	1						2
26	1	119773-91700	SENDER UNIT	1	1						2
27	1	123325-77420	RETAINER (A)	5	5						

Fig.47.CLUTCH ACCESSORIES(OPTIONAL)

Fig.47 クラッチ付属（オプション）
CLUTCH ACCESSORIES (OPTIONAL)




Y00R5061 47.CLUTCH ACCESSORIES(OPTIONAL)

(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	127675-82550	SPACER	1	1						
2	1	127675-82560	DISTANCE PIECE	1	1						
3	1	22117-100000	WASHER 10	8	8						
4	1	22312-100280	PARALLEL PIN 10X28	1	1						
5	1	26106-100752	BOLT M10X 75 PLATED	8	8						
6	1	26106-100752	BOLT M10X 75 PLATED	5	5						
7	1	26226-100702	STUD M10X 70 PLATED	6	6						
8	1	26366-100002	NUT M10	6	6						


Fig. 48 センサ取付台
SENSOR MOUNT



REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	127695-18490	PIPE	1	1						
2	1	124160-39140	BOLT 10, PIPE JOINT	2	2						
3	1	119593-39450	RETAINER	1	1						
4	1	127692-39800	PIPE ASSY,LUB. OIL	1	1						
5	1	101304-59020	JOINT 12, PIPE	1	1						
6	1	127694-91010	BRACKET	1	1						
7	1	127694-91030	INTERMEDIATE	1	1						
8	1	127694-91050	GROMMET	4	4						
9	1	23000-016000	CLAMP 16	2	2						
10	1	23414-100000	GASKET 10, ROUND	2	2						
11	1	23414-120000	GASKET 12, ROUND	2	2						
12	1	23851-060000	BOLT,JOINT 6	1	1						
13	1	23876-010000	PLUG PT1/8,SCREW	1	1						
14	1	26106-080202	BOLT M 8X 20 PLATED	3	3						
15	1	26367-060002	NUT M 6	8	8						

Fig.49.INSTRUMENT PANEL(C-TYPE,OPTION

Fig.49 計器盤 (Cタイプ, オプション)
INSTRUMENT PANEL (C-TYPE, OPTIONAL)




(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	127675-91162	PANEL ASSY	1							
I 1-1	1	127675-91163	IMSTRUMENT PANEL	1	1						S
(A=E/#70101)											
2	2	119573-91200	METER, TACHO./HOUR	1	1						
3	2	129574-91870	WIRE	3	3						
4	2	124617-91980	BULB	11	11						
5	2	129574-91210	METER	1	1						
6	2	129574-91220	METER	1							
I 6-1	2	129574-91221	METER	1	1						S
(A=E/#70101)											
7	2	129470-91190	STOPPER	1	1						
8	2	119189-91262	PILOT BOX ASSY	1	1						
9	2	129574-91862	WIRE W/BULB	1	1						
10	2	129170-91810	BLIND	1	1						
11	2	129170-91650	COVER	1	1						
12	2	129574-91410	BRACKET	1	1						
13	2	121575-91250	SWITCH W/KEY	1	1						
14	2	123482-91291	KEY, SWITCH	1	1						
15	2	129470-91191	BOX ASSY,SW	1	1						
16	3	129170-91800	SWITCH	1	1						
17	3	129574-91780	CAP	2	2						
18	3	129574-91790	SWITCH	1	1						
19	2	129170-91890	WIRE	1	1						
20	2	129170-91930	PANEL	1	1						
21	2	129574-91620	COVER	1	1						
22	2	129574-91420	BRACKET	1	1						
23	2	129574-91720	GASKET	1	1						
24	2	129574-91630	COVER	2	2						
25	2	129574-91430	BRACKET	2	2						
26	2	129574-91730	GASKET	2	2						
27	2	129574-91640	COVER	1	1						
28	2	129574-91440	BRACKET	1	1						
29	2	129574-91740	GASKET	1	1						
30	2	129170-91610	COVER	1	1						
31	2	129574-91710	GASKET	1	1						
32	2	129574-91750	GASKET	1	1						
33	2	129574-91770	KNOB	2	2						
34	2	129574-91650	COVER	1	1						
35	2	127692-91410	SCREW	16	16						
36	2	127692-91440	SCREW	4	4						
37	2	127692-91450	SCREW	2	2						
38	2	129574-91852	HARNES,MAIN WIRE	1	1						
39	3	124617-91990	FUSE (3A)	1	1						
40	2	127687-91880	WASHER	6	6						
41	2	127687-91870	BOLT 6X 35	6	6						
42	2	129574-91760	BLIND	1	1						
43	2	104271-91352	BUZZER	1	1						
44	2	198451-78680	CLAMP,CORD	2	2						

Fig.50.INSTRUMENT PANEL(D-TYPE,OPTION

(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=


Fig.50 計器盤 (Dタイプ, オプション)
INSTRUMENT PANEL (D-TYPE, OPTIONAL)



REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	127675-91193	PANEL ASSY, INSTRUM	1	1						
2	2	119573-91200	METER, TACHO./HOUR	1	1						
3	2	129574-91870	WIRE	4	4						
4	2	124617-91980	BULB	12	12						
5	2	129574-91210	METER	1	1						
6	2	129574-91311	METER	1	1						
7	2	129170-91810	BLIND	1	1						
8	2	119189-91262	PILOT BOX ASSY	1	1						
9	2	129574-91862	WIRE W/BULB	1	1						
10	2	129574-91240	CLOCK	1	1						
11	2	127620-91250	CELL	1	1						
12	2	129574-91490	HOLDER	1	1						
13	2	129574-91880	WIRE W/BULB	1	1						
14	2	120147-91760	BULB	1	1						
15	2	129574-91410	BRACKET	1	1						
16	2	121575-91250	SWITCH W/KEY	1	1						
17	2	123482-91291	KEY, SWITCH	1	1						
18	2	129470-91191	BOX ASSY,SW	1	1						
19	3	129170-91800	SWITCH	1	1						
20	3	129574-91780	CAP	2	2						
21	3	129574-91790	SWITCH	1	1						
22	2	129574-91890	WIRE	1	1						
23	2	129470-91190	STOPPER	1	1						
24	2	129574-91930	PANEL	1	1						
25	2	129574-91620	COVER	1	1						
26	2	129574-91420	BRACKET	1	1						
27	2	129574-91720	GASKET	1	1						
28	2	129574-91630	COVER	4	4						
29	2	129574-91430	BRACKET	4	4						
30	2	129574-91730	GASKET	4	4						
31	2	129574-91640	COVER	1	1						
32	2	129574-91440	BRACKET	1	1						
33	2	129574-91740	GASKET	1	1						
34	2	129170-91610	COVER	1	1						
35	2	129574-91710	GASKET	1	1						
36	2	129574-91750	GASKET	1	1						
37	2	129574-91770	KNOB	2	2						
38	2	129574-91600	BLIND	1	1						
39	2	129574-91650	COVER	1	1						
40	2	127692-91410	SCREW	24	24						
41	2	127692-91440	SCREW	4	4						
42	2	127692-91450	SCREW	2	2						
43	2	129574-91852	HARNESS,MAIN WIRE	1	1						
44	3	124617-91990	FUSE (3A)	1	1						
45	2	127687-91880	WASHER	6	6						
46	2	127687-91870	BOLT 6X 35	6	6						
47	2	129574-91221	METER	1	1						
48	2	129574-91760	BLIND	1	1						
49	2	104271-91352	BUZZER	1	1						
50	2	198451-78680	CLAMP,CORD	3	3						

Fig.51.TOOL(OPTIONAL)

Fig.51 工具 (オプション)
TOOL (OPTIONAL)



Y00R5061 51.TOOL(OPTIONAL)


(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
1	1	177055-09050	WRENCH 5	1	1						
2	1	104200-92350	DRIVER, SCREW	1	1						
3	1	127616-92500	RETAINER	1	1						
4	1	122210-92600	BOX, TOOL	1	1						
5	1	127610-92750	WRENCH, FILTER	1	1						
6	1	127610-92760	PINCERS	1	1						
7	1	127610-92770	HAMMER	1	1						
8	1	127610-92910	PLATE	1	1						
9	1	26116-081002	BOLT M 8X100 PLATED	1	1						
10	1	28110-070000	WRENCH 7	1	1						
11	1	28110-080100	WRENCH 8X10	1	1						
12	1	28110-120140	WRENCH 12X14	1	1						
13	1	28110-130170	WRENCH 13X17	1	1						
14	1	28110-190220	WRENCH 19X22	1	1						
15	1	28110-240270	WRENCH 24X27	1	1						
16	1	28120-002000	WRENCH 200,ADJUSTABL	1	1						
17	1	28160-170190	WRENCH 17X19,OFFSET	1	1						
18	1	28210-000140	FEEDER, OIL	1	1						
19	1	28227-130170	BOX WRENCH 13X17	1	1						
20	1	28227-190220	BOX WRENCH 19X22	1	1						
21	1	28230-090150	HANDLE, TURN 9X150	1	1						
22	1	28230-120300	HANDLE, TURN 12X300	1	1						
23	1	28322-020000	THICKNESS RING	1	1						
24	1	28312-400750	THICKNESS GAUGE	1	1						
25	1	28312-250750	THICKNESS GAUGE	1	1						
26	1	127695-92190	TOOL	1	1						

Fig.52.REMOTE LUB.OIL STRAINER(OPTION

P/C NEWS No:Y00R5061-3
PUBLISHED:2003/3

リモート潤滑油フィルタ (オプション)
REMOTE LUB.OIL STRAINER (OPTIONAL)



(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=


REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
I	1	127672-35100 (A=*2003.03) (B=*2003.03)	BRACKET CMP,STRAINER	1	1						W
I	2	123678-34030	VALVE, CONTROL	1	1						
I	3	135310-34030	REGULATING VALVE	1	1						
I	4	123672-34040	SPRING, CONT. VALVE	1	1						
I	5	123678-34040	SPRING, CONT. VALVE	1	1						
I	6	123672-34070	PLUG	1	1						
I	7	127620-34070	RETAINER	1	1						
I	8	123672-34350	SHIM	2	2						
I	9	123672-34350	SHIM	2	2						
I	10	127620-35020	BRACKET, STRAINER	1	1						
I	13	125613-35300	VALVE,RELIEF	1	1						
I	14	124465-44950	GASKET 16	1	1						
I	15	23876-005000	PLUG PT 1/16,SCREW	5	5						
I	16	23414-220000	PACKING 22,ROUND	1	1						
I	17	23876-020000	PLUG 1/4	2	2						
I	18	23876-040000	PLUG PT 1/2	1	1						
I	19	23881-160002	PLUG	1	1						
I	20	22190-220002	SEAL WASHER 22S	1	1						
I	21	127672-35300	SPRING, RELIEF VALVE	1	1						
I	22	127675-35120	GASKET	1	1						
I	23	127672-39830	JOINT	1	1						
I	24	23414-140000	GASKET 14, ROUND	2	2						
I	25	23857-080000	JOINT BOLT 8	1	1						
I	26	26106-081152	BOLT M 8X115 PLATED	5	5						
I	27	26116-081302	BOLT M 8X130 PLATED	2	2						
I	28	127695-35150	STRAINER, LUB. OIL	2	2						
I	29	127672-77140	BRACKET	1	1						
I	30	22137-080000	WASHER 8, POLISHED	2	2						
I	31	26116-081352	BOLT M 8X135 PLATED	2	2						
I	32	135410-01780	PLUG M30	2	2						
I	33	127672-35410	COVER, STRAINER	1	1						
I	34	127672-35430	SLEEVE NUT,1-12UNF	2	2						
I	35	127672-35440	BODY ASSY,LUB ST.	1	1						
I	36	127610-35350	JOINT,FILTER	2	2						
I	38	23414-360000	GASKET 36	2	2						
I	39	24321-000800	O-RING 1A G-80.0	2	2						
I	40	24356-240280	O-RING 4D 24028	2	2						
I	41	26116-081252	BOLT M 8X125 PLATED	4	4						
I	42	127672-35420	JOINT,PIPE CMP	4	4						
I	43	127672-39110	BRACKET A,CRAMP	1	1						
I	44	127672-39120	CRAMPA,PIPE ASSY	8	8						
I	45	127672-39130	BRACKET B,CRAMP	1	1						
I	46	105578-77790	SPACER	6	6						
I	47	23251-101604	HOSE	2	2						
I	48	1	GASKET 30,ROUND	4	4						
I	49	1	BOLT M 6X 25 PLATED	4	4						
I	50	1	BOLT M 6X 40 PLATED	2	2						
I	51	1	BOLT M 8X 60 PLATED	2	2						
I	52	1	NUT M 6	2	2						
I	53	1	JOINT	1	1						
I	54	1	WASHER 8	6	6						
I	55	1	GASKET 30,ROUND	2	2						
I	56	1	COVER	1	1						

++ CONTINUE ++

Fig.52.REMOTE LUB.OIL STRAINER(OPTION

P/C NEWS No:Y00R5061-3
PUBLISHED:2003/3

リモート潤滑油フィルタ（オプション）
REMOTE LUB.OIL STRAINER (OPTIONAL)



(A)=6CXM-GTE (D)=
(B)=6CXM-GTE2 (E)=
(C)= (F)=

REF.	LEV.	PARTS NO.	DESCRIPTION	Q'TY						I	R
				(A)	(B)	(C)	(D)	(E)	(F)		
I	57	1	105100-01820	PLUG 6.8X10	1	1					
I	58	1	127675-34050	DIPSTICK, LUB. OIL	1	1					